


Realization of a novel material that can conduct magnetic waves on its edge, but not within its bulk

June 13 2016



For the first time, a novel material can conduct magnetic waves only on its edge, but not within its bulk. The control and movement of magnetic fields in a material can be exploited for high performance in electronic applications. The schematic shows protected edges that allow the propagation of these magnetic waves in a single direction along the edge of the crystal. Advantageously, the waves do not scatter in the presence of any defects on the surface or within the bulk. Credit: US Department of Energy

For the first time, a new class of magnetic materials, called topological magnon (or magnetic wave) insulators, was revealed. This novel material can conduct magnetic waves (spin waves) along their edges, without conduction through the bulk material.

This novel material has possible applications to the field of spintronics, where [spin currents](#) could be exploited for energy-efficient technologies and information storage applications.

Electrons have two fundamental properties, charge and spin, generating such phenomena as electricity, magnetism, thermal conductivity, and superconductivity in [materials](#). Materials with topological properties have novel charge or spin excitations on their surfaces or other boundaries. Such materials are of great interest for applications in renewable energy production and high-performance computers. Recently several classes of materials with different topological properties have been theoretically predicted and a few of them validated experimentally.

The experimental research by a group from Stanford University and MIT adds to the validation of one such class of material. Neutron scattering revealed novel magnets for which the magnetism is carried by spin excitations (referred to as magnons) along the edges of a crystal, even when the bulk spin excitations are not readily allowed. The scattering results can be explained by a theory based on the specific atomic arrangement and spin-orbit coupling of the atoms in the material. Spin orbit coupling is a quantum mechanical phenomenon that results from the interaction between the electron's orbital motion in atoms and its spin orientation. Specifically, a metal-organic framework compound, copper[1,3-benzenedicarboxylate] with a unique arrangement of copper atoms in a crystal, has been shown to exhibit this novel behavior.

For this material, disturbances to the electron spin orientation can propagate on the edge of the magnetic crystal, even when propagation

through the bulk is blocked. Based on this novel behavior, the material is called a topological magnon insulator. This material is analogous to another class of recently discovered materials known as topological insulators that allow electronic charge conduction on the surfaces, without having charge conduction within the bulk. This novel behavior of topological magnon insulators could lead to new applications in such fields as spintronics, where [spin](#) currents (rather than charge current in electronics) could be exploited for energy-efficient technologies and information storage.

More information: R. Chisnell et al. Topological Magnon Bands in a Kagome Lattice Ferromagnet, *Physical Review Letters* (2015). [DOI: 10.1103/PhysRevLett.115.147201](#)

Provided by US Department of Energy

Citation: Realization of a novel material that can conduct magnetic waves on its edge, but not within its bulk (2016, June 13) retrieved 10 April 2024 from <https://phys.org/news/2016-06-material-magnetic-edge-bulk.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
