


Bacteria avoid age defects through collective behaviour

July 14 2016, by Ala Trusina



Ala Trusina working in the laboratory, where she studies cell division in bacterial colonies and stem cells. Credit: Photo: Ola Jakup Joensen

As they age, more and more defects arise in most organisms. Researchers from the Niels Bohr Institute have discovered that microorganisms like bacteria can keep a colony young by practicing a common strategy for propagation. The same may be true for, for example, stem cells in humans. The results have been published in the scientific journal *Cell Systems*.


Microorganisms like bacteria reproduce by growing and dividing into

two new bacteria. The older the bacteria, the more defects they have accumulated. When bacteria divide, the two new bacteria look the same, but the question is whether the defects are divided equally between the two new individuals.

"We wanted to investigate whether the bacteria divided symmetrically with an equal number of defects in both new individuals or whether divided asymmetrically with more defects in one new bacteria than the other," explains Ala Trusina, an associate professor in Biocomplexity at the Niels Bohr Institute at the University of Copenhagen.

The researchers performed experiments in the laboratory and made model calculations. They wanted to investigate what was best for the [bacterial community](#). Would it be best to have a colony that was aged to the same degree? Or would it be better for the colony to have the aging defects accumulate in some individuals, while others were free of aging defects and were thus younger?

The environment controls the colony



Microscopic image of bacteria that have formed by dividing from a single cell. The cells were exposed to heat stress. The green spots show cell damage. The greatest damage is on the older cells, while the younger cells have little or no damage. Credit: Ala Trusina

In the laboratory they studied the bacterial colonies under different conditions and influences. The measurements showed that when a colony was left in peace, the bacteria shared almost symmetrically, so the new


individuals were fairly similar with the same number of defects.

However, if they exposed the colony to 'stress' in the form of heat or bacteriostatic compounds, [cell division](#) was asymmetrical. Now the [defects](#) gathered in one bacterium, which then aged and also grew at a slower rate.

"What we have found is that the asymmetry of cell division is not controlled genetically. It is a process that is controlled by the physical environment. Through collective behaviour, the [bacterial colony](#) that is exposed to stress can stay young, produce more offspring and keep the [colony](#) healthier. This is completely new knowledge that has never been observed before," explains Ala Trusina.

She explains that the knowledge could have great potential, as it is a process that is probably universal and applies to cells in many organisms, including for [stem cells](#). A single individual cell cannot overcome the damage, but the group of cells can do so together. The strength lies in the [collective behaviour](#).

Stress



The drawing shows a population where the damage is distributed asymmetrically, so the damage (stars) is constantly being reassigned to a few 'old' and slow-growing cells. This means that the population can stay young with no damage and grow faster and produce more healthy offspring. Credit: Ala Trusina

Provided by University of Copenhagen

Citation: Bacteria avoid age defects through collective behaviour (2016, July 14) retrieved 24 April 2024 from <https://phys.org/news/2016-07-bacteria-age-defects-behaviour.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.