

## Blue is an indicator of first star's supernova explosions

July 12 2016



Artist's conception of evolution of metal-poor and "metal-rich" supernovae at different phases and simulated light curves from shock breakout (ultraviolet) through plateau (red, green and blue colors) to exponential decay. Both shock



breakout and "plateau" phases are shorter, bluer, and fainter for metal-poor supernova in comparison with "metal-rich" supernova. Credit: Kavli IPMU

An international collaboration led by the Kavli Institute for the Physics and Mathematics of the Universe (Kavli IPMU) have discovered that the color of supernovae during a specific phase could be an indicator for detecting the most distant and oldest supernovae in the Universe - more than 13 billion years old.

For 100 million years after the big bang, the Universe was dark and filled with hydrogen and helium. Then, the first <u>stars</u> appeared, and heavier elements (referred to as "metals", meaning anything heavier than helium) were created by thermonuclear fusion reactions within stars.

These metals were spread around the galaxies by supernova explosions. Studying first generation supernovae provides a glimpse into what the Universe looked like when the first stars, galaxies, and <u>supermassive</u> <u>black holes</u> formed, but to date it has been difficult to distinguish a first generation supernova from an ordinary supernova.

A new study published in the *Astrophysical Journal*, led by Kavli IPMU Project Researcher Alexey Tolstov, identified characteristic changes between these supernovae types after experimenting with supernovae models based on extremely metal-poor stars with virtually no metals. These stars make good candidates because they preserve their chemical abundance at the time of their formation.

"The explosions of first generation of stars have a great impact on subsequent star and galaxy formation. But first, we need a better understanding of how these explosions look like to discover this phenomenon in the near future. The most difficult thing here is the



construction of reliable models based on our current studies and observations. Finding the photometric characteristics of metal poor supernovae, I am very happy to make one more step to our understanding of the early Universe." said Tolstov.



Elemental abundances of metal-poor star in comparison with "metal-rich" abundances of the Sun. Credit: Kavli IPMU



Similar to all supernovae, the luminosity of metal-poor <u>supernovae</u> show a characteristic rise to a peak brightness followed by a decline. The phenomenon starts when a star explodes with a bright flash, caused by a shock wave emerging from the surface of the progenitor stars after the core collapse phase. Shock breakout is followed by a long "plateau" phase of almost constant luminosity lasting several months, before a slow exponential decay.

The team calculated light curves of metal-poor supernova, produced by blue supergiant stars, and "metal-rich" red supergiant stars. Both shock breakout and "plateau" phases are shorter, bluer, and fainter for metalpoor supernova in comparison with "metal-rich" supernova. The team concluded the color blue could be used as an indicator of a lowmetallicity progenitor. The expanding <u>universe</u> makes it difficult to detect first star and supernova radiation, which shift into the nearinfrared wavelength.

But in the near future, new large telescopes such as the James Webb Space Telescope, scheduled to be launched in 2018, will be able to detect the first explosions of stars in the Universe, and may be able to identify them using this method. Details of this study were published on April 21, 2016.

**More information:** Alexey Tolstov et al. MULTICOLOR LIGHT CURVE SIMULATIONS OF POPULATION III CORE-COLLAPSE SUPERNOVAE: FROM SHOCK BREAKOUT TOCO DECAY, *The Astrophysical Journal* (2016). DOI: 10.3847/0004-637X/821/2/124

Provided by University of Tokyo

Citation: Blue is an indicator of first star's supernova explosions (2016, July 12) retrieved 3 May



2024 from https://phys.org/news/2016-07-blue-indicator-star-supernova-explosions.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.