


Knots in chaotic waves

July 29 2016



Tangled quantum vortices. Each vortex line is shaded in a different color, and may be knotted or linked with the others. Credit: School of Physics / University of Bristol

New research, using computer models of wave chaos, has shown that three-dimensional tangled vortex filaments can in fact be knotted in many highly complex ways.

The computer experiments, by academics at the University of Bristol, give rise to a huge variety of different knots, realising many that have been tabulated by pure mathematicians working in the field of knot

theory.

Waves surround us all the time: sound [waves](#) in the noise around us, [light waves](#) enabling us to see, and according to quantum mechanics, all matter has a wave nature. Most of these waves, however, do not resemble the regular train of waves at the shore of the ocean—the pattern is much more chaotic. Most significantly, the whirls and eddies form lines in space called vortices. Along these lines, the wave intensity is zero, and natural wave fields - light, sound and quantum matter - are filled with a dense tangle of these null filaments.

Mark Dennis, Professor of Theoretical Physics in the School of Physics, said: "Although the computer models were framed in the language of quantum waves, these results are expected to be completely general, suggesting a new understanding of the complexity of the three-dimensional optical and acoustic landscapes that surround us every day."

More than 40 years ago, Bristol physicians Professor Sir Michael Berry and Professor John Nye discovered vortices were originally understood to be a crucial part of wave phenomena.

This work is part of the Scientific Properties of Complex Knots (SPOCK) project, a collaboration between the Universities of Bristol and Durham. The aim of the project is to create new computational tools and mathematical techniques for the analysis, synthesis and exploitation of knotted structures in a wide range of complex physical phenomena.

The research, funded by the Leverhulme Trust, is published today in *Nature Communications*.

More information: 'Vortex knots in tangled quantum eigenfunctions' by Alexander J Taylor and Mark R Dennis, *Nature Communications*, 2016. [www.nature.com/ncomms/2016/160 ... ull/ncomms12346.html](http://www.nature.com/ncomms/2016/160...ull/ncomms12346.html)

Provided by University of Bristol

Citation: Knots in chaotic waves (2016, July 29) retrieved 1 May 2024 from
<https://phys.org/news/2016-07-chaotic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.