

# Gauging the impact of climate change on US agriculture

July 8 2016, by Mark Dwortzan

---



Water stands between the raised beds of corn verification plot. Credit: Kevin Lawson/University of Arkansas System Division of Agriculture

To assess the likely impact of climate change on U.S. agriculture, researchers typically run a combination of climate and crop models that

project how yields of maize, wheat, and other key crops will change over time. But the suite of models commonly used in these simulations, which account for a wide range of uncertainty, produces outcomes that can range from substantial crop losses to bountiful harvests. These mixed results often leave farmers and other agricultural stakeholders perplexed as to how best to adapt to climate change.


Now, in a study published in *Environmental Research Letters*, a research team at MIT and the University of California at Davis, has devised a way to provide these stakeholders with the additional information they need to make more informed decisions. In a nutshell, the researchers complement the results of [climate](#)/crop model runs with projections of five useful indices of agriculture/climate interaction—dry days, plant heat stress, frost days, growing season length and start of field operations—that clarify what's driving projected yields up or down.

"It's very difficult to investigate the impact of the climate on agriculture because models don't agree even on the sign of projected yield, or indicate the mechanism behind it," says the study's lead author, Erwan Monier, a principal research scientist with the MIT Joint Program on the Science and Policy of Global Change. "Our work provides an alternative way to look at the fate of agriculture under climate change that provides information that's more relevant to farmers than existing climate/crop models."

Using the MIT Integrated Global System Modeling (IGSM) framework, which accounts for key sources of uncertainty and incorporates all five agro-climate indices, Monier and his collaborators ran simulations to estimate the potential effects of climate change on agriculture in the U.S. by 2100.

Under a scenario in which greenhouse gas emissions are unconstrained, the model projected that the U.S. will experience fewer frosts, a longer

growing season, more heat stress, and an earlier start of field operations by the end of the century. When [greenhouse gas emissions](#) reduction policies—one aimed at capping the rise in global mean surface temperature between pre-industrial times and 2100 at 2 degrees Celsius, the other targeting a 2.5 C cap—were applied, projected changes in four out of the five indices were cut in half.



These charts show projected changes in five land management stakeholder relevant indices over the U.S. under different greenhouse gas emissions scenarios — in 2050 and 2100 relative to present day. The U.S. as a whole is projected to experience fewer frosts (AFD), a longer growing season length (GSL), an earlier start of field operations (SFO), and an increase in plant heat stress (PHS). Credit: *Environmental Research Letters*

This suggests that aggressive greenhouse gas mitigation could sharply reduce the effects of climate change—both adverse ones, such as increased [heat stress](#), and beneficial ones, such as a longer growing season.

The research team also determined that these climate mitigation policies would prevent changes in any of the five indices from exceeding those that arise from natural year-to-year variations in the climate that we already experience, thus limiting the severity of climate-related impacts on agriculture for the rest of the century.

Enabling these results is a new, more efficient, integrated approach to modeling the impact of climate on agriculture and estimating the benefits of climate mitigation efforts.

Rather than relying on the traditional approach of using a multi-model ensemble (the standard one, the CMIP5, comprises more than 30 different climate models) to estimate the uncertainty in the impact of [climate change](#) on agriculture, the researchers used multiple simulations of a single model where key sources of uncertainty are explored by varying several model assumptions. These include the response of the [global climate](#) system to changes in atmospheric [greenhouse gas](#) levels, the natural variability in the climate system, and the emissions scenario selected.

Bypassing the need to run multiple climate models through international coordinated efforts among multiple climate research institutes, the MIT model delivers a similar range of results with far greater efficiency. And because it integrates both climate and economic projections, it provides a more direct estimate of the economic benefit of climate mitigation.

**More information:** Erwan Monier et al. Uncertainty in future agro-climate projections in the United States and benefits of greenhouse gas

mitigation, *Environmental Research Letters* (2016). DOI: [10.1088/1748-9326/11/5/055001](https://doi.org/10.1088/1748-9326/11/5/055001)

*This story is republished courtesy of MIT News ([web.mit.edu/newsoffice/](http://web.mit.edu/newsoffice/)), a popular site that covers news about MIT research, innovation and teaching.*

Provided by Massachusetts Institute of Technology

Citation: Gauging the impact of climate change on US agriculture (2016, July 8) retrieved 23 April 2024 from <https://phys.org/news/2016-07-gauging-impact-climate-agriculture.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.