


Research team reproduces major functional principles of the brain using technology

July 1 2016



The connected oscillators start to communicate with each other like in a neural network and become synchronised after a while until they all oscillate in the same rhythm as genuine neurons. Credit: Christian Urban, Kiel University

How does the human brain collect, process and store the flow of data




which it constantly encounters? How does it manage cognitive tasks, which require complex interaction between various areas of the brain and overload high performance computers that work much more quickly? Why can the brain cope with all of this using much less energy? It is the aim of the research team from Kiel led by Professor Hermann Kohlstedt, Head of the Nanoelectronics Department at Kiel University (CAU) and spokesman of the national collaborative research project "Memristive devices for neural systems" (FOR 2093) funded by the German Research Foundation (DFG) to track this impressive efficiency of the human brain using technology and to implement its method of operation in artificial neural networks. The scientists from Kiel have now succeeded in electronically reproducing two fundamental principles of operation of the human brain, memory and synchronisation. They recently published their results in *Applied Physics Letters*.

The <u>human brain</u> is a master of energy efficiency. It has approximately 100 billion nerve cells, also known as neurons, which manage with power of only about 20 Watt. Modern high performance computers would require many thousands of times more energy to perform similarly complex calculations as the brain manages. The neurons in the brain are linked to each other with synapses and form a highly complex network. The term "learning" in the neurological sense means that the synaptic connections in the brain are not determined statically. Instead they are continually readjusting on the basis of environmental influences, for example sensations. This makes it possible to store new memory content locally, known as the neurological plasticity of the brain.

In addition to the spatial ability of the neural connections to adjust, there is another important building block to process information in the brain: the synchronisation of neural groups. Electrical impulses, so-called action potentials, form the basic unit of information processing in the brain. These impulses permanently transmit information between the neurons and in doing so they cross and influence the synaptic



connections in the brain. "In the case of conscious sensory perceptions the spatial irregular occurrence of neural impulses changes into ordered structures suddenly and for a limited time," says Professor Thorsten Bartsch, a neurologist at Kiel University and member of the research group. The previously independent impulses of the neurons synchronise themselves in this case even over areas of the brain that are not close together. Evidence of this synchronised "firing" in humans can also be shown by measuring brain waves (electroencephalography, EEG). "There have been discussions for a long time whether the human consciousness is closely linked with this synchronisation of the neural impulses. This may provide the key to gaining a better understanding of brain functions," continued Bartsch.



Tom Birkoben, Mirko Hansen and Marina Ignatov (from left to right) have developed an electrical circuit, which is in principle structured like human nerve



cells. Credit: Christian Urban, Kiel University

The scientists based in Kiel have now reproduced both these principles of how the brain works, in other words storing memory content in the synapses and the synchronicity of the neural impulses within an electronic circuit. "We have used a new type of electronic device for this to help us reproduce the processes of the brain," explained Kohlstedt. These devices are described as memristors (from words "memory" and "resistor"). They are characterised by the fact that their electrical resistance depends on the charge that has flowed previously. "This method makes it possible to store different circumstances in biological networks, similar to "memory devices," added Dr. Martin Ziegler, a scientist in the Nanoelectronics Department and sub-project leader in the research group.

The researchers from Kiel have now coupled two oscillators to each other using memristors in their electronic circuit. Oscillators are switches, which generate periodic voltage impulses – similar to the "firing" of the neurons in the brain. At the start their impulses flowed in an asynchronous manner, with both oscillators therefore being uncoupled initially. Thanks to the adaptive "memory devices," their oscillations soon synchronised. This enabled the researchers to equip an electrical circuit with the same fundamental properties that also characterise a biological neural network.

More information: M. Ignatov et al. Synchronization of two memristively coupled van der Pol oscillators, *Applied Physics Letters* (2016). DOI: 10.1063/1.4942832



Provided by Kiel University

Citation: Research team reproduces major functional principles of the brain using technology (2016, July 1) retrieved 19 April 2024 from https://phys.org/news/2016-07-team-major-functional-principles-brain.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.