

Using urban pigeons to monitor lead pollution

July 19 2016, by Andy Fell



Pigeons in New York City had a similar pattern of lead in their blood to children, according to a study by Rebecca Calisi, now on the faculty at UC Davis. Because urban pigeons do not travel far, they could be used to monitor environmental pollution. Credit: David Slipper, UC Davis College of Biological Sciences

Tom Lehrer sang about poisoning them, but those pigeons in the park

might be a good way to detect lead and other toxic compounds in cities. A new study of pigeons in New York City shows that levels of lead in the birds track with neighborhoods where children show high levels of lead exposure.

"Pigeons breathe the same air, walk the same sidewalks, and often eat the same food as we do. What if we could use them to monitor possible dangers to our health in the environment, like lead pollution?" said Rebecca Calisi, now an assistant professor in the Department of Neurobiology, Physiology and Behavior at the University of California, Davis, who conducted the study with undergraduate student Fayme Cai while at Barnard College, Columbia University. The work is published July 18 in the journal *Chemosphere*.

Decades after it was banned from paint and gasoline, lead pollution remains a significant concern. The New York City Department of Health and Mental Hygiene carries out routine screening of children in areas of the city identified as hot spots for lead contamination.

Calisi and Cai looked at blood samples collected from 825 sick or injured pigeons brought to the city's Wild Bird Fund rehabilitation center from 2010 to 2015. Each was identified by the zip code where it was found.

Lead levels rise in summer

They found that the pigeons' blood [lead levels](#) rose in summer, as they do in samples from children. Zip codes with high lead levels in pigeons also had some of the highest rates of raised levels of lead in children.



Rebecca Calisi uses pigeons to study environmental pollution. Credit: David Slipher

While pigeons have been used to monitor various types of pollution in some European cities, to her knowledge no one has previously correlated [lead exposure](#) in birds with exposure rates in children, Calisi said.

"This is a powerful example of how we can use pigeons to monitor the location and prevalence of pollutants," Calisi said. "We can use these 'rats with wings'—which are anything but—to monitor dangers to human health."

Urban pigeons are particularly suitable for this work because they don't fly far, typically spending their lives within an area of a few blocks, she said.

The sources of urban [lead pollution](#) aren't clear. Lead-based paint can still be found in old buildings, but pigeons don't spend much time indoors. Roads and especially construction sites are likely sources of particulate and airborne lead, and [pigeons](#) do pick up roadside gravel to aid in digestion. Children are also exposed to these sources of [lead](#) and can bring residues into their households by regular foot traffic.

Now at UC Davis, Calisi is expanding the work to look at other pollutants, such as other heavy metals, pesticides and fire retardants, in California cities.

Calisi was recently awarded the title of Environmental Health Science Scholar by the UC Davis NIEHS (National Institute for Environmental Health Sciences) Center. She is also a CAMPOS (Center for Advancing Multicultural Perspectives on Science) scholar in the UC Davis ADVANCE program.

More information: Fayme Cai et al, Seasons and neighborhoods of high lead toxicity in New York City: The feral pigeon as a bioindicator, *Chemosphere* (2016). [DOI: 10.1016/j.chemosphere.2016.07.002](https://doi.org/10.1016/j.chemosphere.2016.07.002)

Provided by UC Davis

Citation: Using urban pigeons to monitor lead pollution (2016, July 19) retrieved 1 May 2024 from <https://phys.org/news/2016-07-urban-pigeons-pollution.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--