

Echo templates aid mental mapping in bats

August 2 2016



Researchers from the Universities of Bristol and Antwerp created an 'artificial bat,' complete with ultrasonic microphones and an ultrasonic speaker acting as ears and a mouth, to gather echoes from different locations and assess the templates from the data. They found that the echoes returning from each place were unique enough for them to be used to recognize the location. Credit: Vanderelst et al., *eLife*, 2016

A study published in *eLife* provides new insights on how bats recognise their surroundings to help them build mental maps.



Bats have excellent spatial memory, and navigate with ease to important locations including roosts and foraging grounds. But exactly how these animals recognise such places through echolocation - perception based on soundwaves and their echoes - is largely unknown. New research from the Universities of Bristol and Antwerp suggests the animals observe and remember templates to help form a cognitive map of their environment.

"When we visually recognise places, such as our living room or office, we identify and localise the various objects that make up the scene," says Marc Holderied, PhD, Reader in Biology at the University of Bristol, and senior author of the study.

"Echolocation does not allow <u>bats</u> to do this, as the information it provides is more limited. We therefore wanted to discover how these animals recognise their locations differently to those with vision."

The team proposed that template-based place recognition might underlie sonar-based navigation in bats. This would mean that the animals recognise places by remembering their echo signature, rather than their three-dimensional (3D) layout.





The artificial bat device in action at St. Andrew's Park, Bristol -- a much leafier environment in comparison to Israel's corridor of boulders. Credit: Vanderelst et al., *eLife*, 2016

"The viability of a template-based approach to place recognition relies on two properties. One of these is that templates must allow for unique classification in order for places to be recognisable. In other words, they must encode the bat's specific locations in space to allow it to recognise previously visited places," says first author Dieter Vanderelst, PhD, from the University of Antwerp, who led the study as a research fellow at the University of Bristol.



To test their hypothesis, the team built an 'artificial bat', a device which contained ultrasonic microphones and an ultrasonic speaker acting as ears and a mouth. Using this device, they collected a large number of echoes from three different locations: the green and leafy St. Andrew's Park and Royal Fort Garden in Bristol, and the more open and stonier landscape of a park in Midreshet Ben Gurion, Israel.

Data were collected at the typical bat-flight heights of about two to three metres. Measurements from each site were gathered and stored by a computer integrated into the device. The team then assessed the templates from the data and found that the echoes returning from each place were unique enough for them to be used to recognise the location.

"Importantly, our method used the echoes without inferring the location or identity of objects, such as plants and trees, at each site. In other words, the data support our hypothesis that bats can recognise places by remembering how they sound, rather than how they appear through the animals' 3D sonar imaging," Vanderelst explains.





The device in action in a park in Midreshet Ben Gurion, Israel. The echo catchment distances were greater in this corridor of boulders than in the corridor of vegetation in the Royal Fort Gardens, suggesting that bats can use boulders and other such landmarks for mapping. Credit: Vanderelst et al., *eLife*, 2016

The research also suggests that the use of prominent landmarks might be an emergent feature of template-based place recognition.

"The prominence of a template's catchment area reflects how likely it is that the template will be observed and stored in a map during exploration. For example, we found the catchment distances to be greater in the Israeli corridor of large boulders than in the corridor of



vegetation in the Royal Fort Gardens, suggesting that bats could use the boulders as landmarks for mapping," Vanderelst adds.

"This leads us to believe that cognitive mapping based on templates would show a natural preference to use such landmarks, as they return stronger and more recognisable echo signatures. With these new insights in mind, our aim is to try and piece together the entire puzzle of the navigation tendencies and capabilities in bats."

More information: Dieter Vanderelst et al, Place recognition using batlike sonar, *eLife* (2016). DOI: 10.7554/eLife.14188

Provided by eLife

Citation: Echo templates aid mental mapping in bats (2016, August 2) retrieved 3 May 2024 from <u>https://phys.org/news/2016-08-echo-templates-aid-mental.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.