

Graphene under pressure

August 25 2016



This visualisation shows layers of graphene used for membranes. Credit: University of Manchester

Small balloons made from one-atom-thick material graphene can withstand enormous pressures, much higher than those at the bottom of the deepest ocean, scientists at the University of Manchester report.

This is due to graphene's incredible strength - 200 times stronger than steel.



The graphene <u>balloons</u> routinely form when placing graphene on flat substrates and are usually considered a nuisance and therefore ignored. The Manchester researchers, led by Professor Irina Grigorieva, took a closer look at the nano-<u>bubbles</u> and revealed their fascinating properties.

These bubbles could be created intentionally to make tiny pressure machines capable of withstanding enormous pressures. This could be a significant step towards rapidly detecting how molecules react under extreme pressure.

Writing in *Nature Communications*, the scientists found that the shape and dimensions of the nano-bubbles provide straightforward information about both graphene's elastic strength and its interaction with the underlying substrate.

The researchers found such balloons can also be created with other twodimensional crystals such as single layers of <u>molybdenum disulfide</u> (MoS2) or boron nitride.

They were able to directly measure the pressure exerted by graphene on a material trapped inside the balloons, or vice versa.

To do this, the team indented bubbles made by graphene, monolayer MoS2 and monolayer boron nitride using a tip of an <u>atomic force</u> <u>microscope</u> and measured the force that was necessary to make a dent of a certain size.

These measurements revealed that <u>graphene</u> enclosing bubbles of a micron size creates pressures as high as 200 megapascals, or 2,000 atmospheres. Even higher pressures are expected for smaller bubbles.

Ekaterina Khestanova, a PhD student who carried out the experiments, said: "Such pressures are enough to modify the properties of a material



trapped inside the bubbles and, for example, can force crystallization of a liquid well above its normal freezing temperature'.

Sir Andre Geim, a co-author of the paper, added: "Those balloons are ubiquitous. One can now start thinking about creating them intentionally to change enclosed materials or study the properties of atomically thin membranes under high strain and pressure."

More information: Universal shape and pressure inside bubbles appearing in van der Waals Heterostructures, by E. Khestanova, F. Guinea, L. Fumagalli, A. K. Geim, and I. V. Grigorieva, *Nature Communications*, 2016.

Provided by University of Manchester

Citation: Graphene under pressure (2016, August 25) retrieved 3 May 2024 from <u>https://phys.org/news/2016-08-graphene-pressure.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.