


Nanoribbons in solutions mimic nature

August 15 2016



The tip of an atomic force microscope on a cantilevered arm is used to pull a graphene nanoribbon the same way it would be used to pull apart a protein or a strand of DNA in a Rice University lab. The microscope can be used to measure properties like rigidity in a material as it's manipulated by the tip. Credit: Kiang

Research Group/Rice University

Graphene nanoribbons (GNRs) bend and twist easily in solution, making them adaptable for biological uses like DNA analysis, drug delivery and biomimetic applications, according to scientists at Rice University.

Knowing the details of how GNRs behave in a solution will help make them suitable for wide use in biomimetics, according to Rice physicist Ching-Hwa Kiang, whose lab employed its unique capabilities to probe nanoscale [materials](#) like cells and proteins in wet environments.

Biomimetic materials are those that imitate the forms and properties of natural materials.

The research led by recent Rice graduate Sithara Wijeratne, now a postdoctoral researcher at Harvard University, appears in the Nature journal *Scientific Reports*.

Graphene nanoribbons can be thousands of times longer than they are wide. They can be produced in bulk by chemically "unzipping" carbon nanotubes, a process invented by Rice chemist and co-author James Tour and his lab.

Their size means they can operate on the scale of biological components like proteins and DNA, Kiang said. "We study the mechanical properties of all different kinds of materials, from proteins to cells, but a little different from the way other people do," she said. "We like to see how materials behave in solution, because that's where biological things are." Kiang is a pioneer in developing methods to probe the energy states of proteins as they fold and unfold.

She said Tour suggested her lab have a look at the [mechanical properties](#)

of GNRs. "It's a little extra work to study these things in solution rather than dry, but that's our specialty," she said.

Nanoribbons are known for adding strength but not weight to solid-state composites, like bicycle frames and tennis rackets, and forming an electrically active matrix. A recent Rice project infused them into an efficient de-icer coating for aircraft.

But in a squishier environment, their ability to conform to surfaces, carry current and strengthen composites could also be valuable.

"It turns out that graphene behaves reasonably well, somewhat similar to other biological materials. But the interesting part is that it behaves differently in a solution than it does in air," she said. The researchers found that like DNA and proteins, nanoribbons in solution naturally form folds and loops, but can also form helicoids, wrinkles and spirals.

Kiang, Wijeratne and Jingqiang Li, a co-author and student in the Kiang lab, used [atomic force microscopy](#) to test their properties. Atomic force microscopy can not only gather high-resolution images but also take sensitive force measurements of nanomaterials by pulling on them. The researchers probed GNRs and their precursors, graphene oxide nanoribbons.

The researchers discovered that all nanoribbons become rigid under stress, but their rigidity increases as oxide molecules are removed to turn graphene oxide nanoribbons into GNRs. They suggested this ability to tune their rigidity should help with the design and fabrication of GNR-biomimetic interfaces.

"Graphene and graphene oxide materials can be functionalized (or modified) to integrate with various biological systems, such as DNA, protein and even cells," Kiang said. "These have been realized in

biological devices, biomolecule detection and molecular medicine. The sensitivity of graphene bio-devices can be improved by using narrow graphene materials like nanoribbons."

Wijeratne noted [graphene nanoribbons](#) are already being tested for use in DNA sequencing, in which strands of DNA are pulled through a nanopore in an electrified material. The base components of DNA affect the electric field, which can be read to identify the bases.

The researchers saw nanoribbons' biocompatibility as potentially useful for sensors that could travel through the body and report on what they find, not unlike the Tour lab's nanoreporters that retrieve information from oil wells.

Further studies will focus on the effect of the nanoribbons' width, which range from 10 to 100 nanometers, on their properties.

More information: Sithara S. Wijeratne et al, Detecting the Biopolymer Behavior of Graphene Nanoribbons in Aqueous Solution, *Scientific Reports* (2016). [DOI: 10.1038/srep31174](https://doi.org/10.1038/srep31174)

Provided by Rice University

Citation: Nanoribbons in solutions mimic nature (2016, August 15) retrieved 19 April 2024 from <https://phys.org/news/2016-08-nanoribbons-solutions-mimic-nature.html>

| |
|--|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|--|