

# Natural scale caterpillar soft robot is powered and controlled with light

August 22 2016

---



Caterpillar micro-robot sitting on a finger tip. Credit: FUW

Researchers at the Faculty of Physics at the University of Warsaw, using

the liquid crystal elastomer technology originally developed in the LENS Institute in Florence, demonstrated a bio-inspired micro-robot capable of mimicking caterpillar gaits in natural scale. The 15-millimeter-long soft robot harvests energy from green light and is controlled by spatially modulated laser beam. Apart from traveling on flat surfaces, it can also climb slopes, squeeze through narrow slits and transport loads.

For decades scientists and engineers have been trying to build robots mimicking different modes of locomotion found in nature. Most of these designs have rigid skeletons and joints driven by electric or pneumatic actuators. In nature, however, a vast number of creatures navigate their habitats using soft bodies—earthworms, snails and larval insects can effectively move in complex environments using different strategies. Until now, attempts to create soft robots were limited to larger scale (typically tens of centimeters), mainly due to difficulties in power management and remote control.

Liquid crystalline elastomers (LCEs) are smart materials that can significantly change shape under illumination with visible light. With recently developed techniques, it is possible to pattern these soft materials into arbitrary 3-D forms with a pre-defined actuation performance. The light-induced deformation allows a monolithic LCE structure to perform complex actions without numerous discrete actuators.

Researchers from the University of Warsaw with colleagues from LESN (Italy) and Cambridge (UK) have now developed a natural-scale, soft caterpillar robot with an opto-mechanical liquid crystalline elastomer monolithic design. The robot body is made of a light sensitive elastomer stripe with patterned molecular alignment. By controlling the traveling deformation pattern, the robot mimics different gaits of its natural relatives. It can also walk up a slope, squeeze through a slit and push objects as heavy as 10 times its own mass, demonstrating its ability to

perform in challenging environments and pointing toward potential future applications.

"Designing [soft robots](#) calls for a completely new paradigm in their mechanics, power supply and control. We are only beginning to learn from nature and shift our design approaches towards these that emerged in natural evolution," says Piotr Wasylczyk, head of the Photonic Nanostructure Facility at the Faculty of Physics of the University of Warsaw, Poland, who led the project.

Researchers hope that rethinking materials, fabrication techniques and design strategies will open up new areas of soft robotics in micro- and millimeter-length scales, including swimmers (both on-surface and underwater) and even fliers.

**More information:** Mikołaj Rogóż et al, Light-Driven Soft Robot Mimics Caterpillar Locomotion in Natural Scale, *Advanced Optical Materials* (2016). [DOI: 10.1002/adom.201600503](https://doi.org/10.1002/adom.201600503)

Provided by University of Warsaw

Citation: Natural scale caterpillar soft robot is powered and controlled with light (2016, August 22) retrieved 1 May 2024 from <https://phys.org/news/2016-08-natural-scale-caterpillar-soft-robot.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--