

How a star cluster ruled out MACHOs

August 10 2016, by Susanna Kohler



Artist's illustration of the distribution of dark matter in the halo surrounding the Milky Way Galaxy. A new study examines the possibility that dark matter is made up of unseen black holes in the galactic halo. Credit: ESO/L. Calçada

Are massive black holes hiding in the halos of galaxies, making up the majority of the universe's mysterious dark matter? This possibility may have been ruled out by a star cluster in a small galaxy recently discovered orbiting the Milky Way.


Dark Matter Candidates

Roughly 27% of the mass and energy in the observable universe is made up of "dark matter"—matter invisible to us, which is neither accounted for by observable baryonic matter nor dark energy.

What makes up this dark matter? Among the many proposed candidates, one of the least exotic is that of massive compact halo objects, or MACHOs. MACHOs are hypothesized to be black holes that formed in the early universe and now hide in galactic halos. We can't detect light from these objects—but their mass adds to the gravitational pull of [galaxies](#).

So far, MACHOs' prospects aren't looking great. They have not been detected in gravitational lensing surveys, ruling out MACHOs between 10^{-7} and 30 [solar masses](#) as the dominant component of dark matter in our galaxy. MACHOs over 100 solar masses have also been ruled out, due to the existence of fragile wide halo binaries that would have been disrupted by the presence of such large black holes.

But what about MACHOs between 30 and 100 solar masses? In a new study, Timothy Brandt (NASA Sagan Postdoctoral Fellow at the Institute for Advanced Study, in Princeton, NJ) uses a recently discovered faint galaxy, Eridanus II, to place constraints on MACHOs in this mass range.



The relative amounts of the different constituents of the universe. Dark matter makes up ~27%. Credit: ESA/Planck


A Star Cluster in Eri II

Eridanus II is an ultra-faint dwarf galaxy that lies roughly 1.2 million light-years away from us. This dim object is a satellite galaxy of the Milky Way, discovered as part of the Dark Energy Survey. One feature

of Eri II is especially intriguing: a single bright star cluster nearly coincident with the galaxy's center.

What makes this cluster so interesting? Ultra-faint dwarf galaxies are dominated by their dark matter content—so if MACHOs make up most of the universe's dark matter content, Eri II should be full of them! But, Brandt points out, interactions between such MACHOs and Eri II's star cluster would result in dynamical heating of the cluster. This would cause the cluster to puff up in size.

Brandt calculates that the compact star cluster observed in Eri II couldn't exist if the galaxy's dark matter is made up of MACHOs of mass >15 solar masses.




MACHO constraints from the survival of a star cluster in Eri II, assuming a

cluster age of 3 Gyr (a lower bound; constraints increase when assuming an age of 12 Gyr). Credit: Adapted from Brandt 2016

Further Constraints From Other Dwarfs

his same argument can be extended to the entire stellar populations of dwarf galaxies. Due to dynamical heating, compact ultra-faint dwarfs would have much larger radii than we observe if their dark matter were in the form of MACHOs.

Brandt shows that the existence of these compact dwarfs rules out dark matter consisting entirely of MACHOs of mass >10 solar masses, closing the gap in our tests of the MACHO model for dark matter. Though [black holes](#) hiding in halos could still make up part of the universe's dark matter, an additional culprit will need to be identified to explain the bulk of it.



MACHO constraints from the observed sizes of compact ultra-faint dwarf galaxies. Credit: Brandt 2016

More information: Timothy D. Brandt. CONSTRAINTS ON MACHO DARK MATTER FROM COMPACT STELLAR SYSTEMS IN ULTRA-FAINT DWARF GALAXIES, *The Astrophysical Journal* (2016). [DOI: 10.3847/2041-8205/824/2/L31](https://doi.org/10.3847/2041-8205/824/2/L31)

Provided by American Astronomical Society

Citation: How a star cluster ruled out MACHOs (2016, August 10) retrieved 1 May 2024 from <https://phys.org/news/2016-08-star-cluster-machos.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.