


Subatomic microscopy key to building new classes of materials

August 31 2016



Colorized sub-Angstrom scanning transmission electron microscope image clearly shows individual atomic columns of strontium (green), titanium (blue), and oxygen (red). A simulated image is overlaid showing close agreement between theory and experiment. The brick and mortar structure is visible. Credit: Greg Stone/Penn State

Researchers at Penn State and the Molecular Foundry at Lawrence Berkeley National Laboratory are pushing the limits of electron microscopy into the tens of picometer scale, a fraction of the size of a hydrogen atom.

The ability to see at this subatomic level is crucial for designing new [materials](#) with unprecedented properties, such as materials that transition from metals to semiconductors or that exhibit superconductivity. The researchers' work describing the first atomic scale evidence for strain-induced ferroelectricity in a layered oxide appears online today, (Aug. 31), in *Nature Communications*.

"This paper is important because it highlights our ability to design new classes of materials that can be tuned, one atomic layer at a time, to get interesting new properties such as high-frequency tunable dielectrics, which are of interest to the semiconductor industry," said first author Greg Stone, a former Penn State post-doctoral scholar now at the U.S. Army Research, Development, and Engineering Center.

Designing [new materials](#) with potentially useful properties requires the close collaboration of theory, synthesis and characterization - the first to build the mathematical models needed, the second to create the material

in the lab, and the third to visualize and measure the material's properties and provide feedback to tweak theories and improve synthesis.

This study builds on previous theoretical work by coauthors Turan Birol and Craig Fennie of Cornell University and experimental work by coauthors Venkatraman Gopalan of Penn State and Darrell Schlom, formerly at Penn State and now at Cornell, and their students. Gopalan and Nasim Alem, professors of materials science and engineering at Penn State, led the current study.

"The material we are looking at is a form of strontium titanate called a layered oxide," said Gopalan. "This study brings together [electron microscopy](#) and density functional theory on a 5 to 10 picometer length scale to show why these materials are such good tunable dielectrics. The key is phase competition, and for the first time, we show that many polar phases with similar energies compete in this material on the atomic scale, just as theory predicted, which gives it large tunability under a voltage."

Complex oxides are materials that form by combining negatively charged oxygen and two other positively charged ions. In this instance, the team examined strontium titanate with a structure called Ruddlesden-Popper (RP), after the two scientists who discovered it. The structure looks like a brick and mortar wall, with the bricks made of the strontium titanate and the thin mortar between the bricks made up of strontium oxide. When the bricks are layered in this fashion, new properties emerge that would not appear in a single brick.

"In the case of RP-strontium titanate, the emergent property is ferroelectricity, which means it has a built-in electrical polarization within its structure," said Gopalan. "But it could be magnetism or metal-insulator transitions or superconductivity, depending on the atoms involved and the layering order of the materials."

Because each layer of brick has a weak connection to other layers, the material can have competing states, with one layer polarized in a direction opposite to a neighboring layer. These competing states result in a material with a strong response to a small external stimulus, such as an electric or magnetic field or temperature. In the case of strontium titanate, there is a large dielectric response, which is the ability to store large amounts of energy, as in a capacitor.

Cell phones have many dielectric components that are very small and have to hold a charge. As cell phones transition from 4G networks to 5G, which means they are processing at 5 billion cycles per second, better materials that respond at higher frequencies are crucial. RP-[strontium titanate](#) is a material that is definitely superior to current materials.

Colin Ophus of the National Center for Electron Microscopy facility of the Molecular Foundry, said, "This work is an excellent example of the materials advances possible when we close the feedback loop between first principles calculations and atomic resolution electron microscopy."

His colleague Jim Ciston at the Molecular Foundry adds, "The precision of the agreement between theory and experiment is critical to unraveling the subtle differences in structure between competing ferroelectric phases. These images of atomic positions are more than pretty pictures of remarkable precision, but contain an enormous amount of quantifiable information about the minute distortions in atomic positions that can lead to surprising properties."

Provided by Pennsylvania State University

Citation: Subatomic microscopy key to building new classes of materials (2016, August 31) retrieved 2 May 2024 from <https://phys.org/news/2016-08-subatomic-microscopy-key-classes-materials.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.