

# Researchers seek Zenkerella, an elusive scalytailed squirrel that has never been spotted alive by scientists

August 16 2016



The second male specimen of *Zenkerella insignis* was found near the village of Ureca on Bioko, an island off the west coast of Africa. Credit: Steven Heritage

Researchers are on a real-life search for what one calls "the ultimate Pokémon": *Zenkerella*, an elusive scaly-tailed squirrel that has never been spotted alive by scientists. However, biologists recently found three newly dead specimens that hint at how the "living fossil" has evolved over the past 49 million years.

*Zenkerella insignis*, a mysterious rodent from central Africa, is among the least studied of all living mammals, said Erik Seiffert, study senior



author and a professor of cell and neurobiology at the Keck School of Medicine of USC. The last time scientists heard about *Zenkerella* in the wild was two decades ago. Notably, only 11 *Zenkerella* specimens are curated in museums around the world. The three new rodents bring the count to 14.

"*Zenkerella* could be seen as the ultimate Pokémon that scientists have still not been able to find or catch alive," Seiffert said. "After all, it probably only shows up in the middle of the night, deep in the jungles of central Africa, and might spend most of its time way up in tall trees where it would be particularly hard to see."

Using the three whole-body specimens, scientists sampled *Zenkerella*'s DNA for the first time. The study, published in the journal *PeerJ* on Aug. 16, details how researchers analyzed *Zenkerella*'s genes using cells from cheek swabs. Then they compared the scaly-tailed squirrels' DNA with a large sample of other rodents in an online database called GenBank, which includes all rodent suborders and families.

## A family divided

Based on DNA results, the researchers determined that, contrary to expectation, *Zenkerella* is a very distant cousin of two scaly-tailed squirrels with webbing between their legs and elbows that allows them to glide from tree to tree. Thus, *Zenkerella*, who cannot glide, should be placed in the newly named Zenkerellidae family, researchers said. All three cousins are part of the superfamily of Anomaluroidea, partially because they all have a set of scales on the bottom of their tails that reportedly provide support and traction for tree climbing.

The study adds to a growing body of evidence: Extreme anatomical adaptations that evolved and enabled some mammals to perform tasks such as gliding, flying or swimming are unlikely to be lost or reversed



over the course of evolution.







David Fernandez, study co-author, is treating the first whole-body specimen of *Zenkerella* that has been found. Credit: Grainne McCabe

#### One of only a few ancient 'living fossils'

Of the about 5,400 mammal species alive today, only *Zenkerella insignis* and five others are the "sole surviving members of ancient lineages" dating all the way back to the early part of the Eocene epoch, 49 million years ago or more, Seiffert said. Within this select group, only *Zenkerella*, the monito del monte (*Dromiciops gliroides*) and the pentailed tree shrew (*Ptilocercus lowii*) have been given the medal "living fossil." They closely resemble what is observed in their species' fossil record. In other words, although they have evolved over time, the changes were minimal.

"It's an amazing story of survival," Seiffert said. "In strong contrast to *Zenkerella*, all of these five other 'sole survivor' <u>mammal species</u> have been fairly well studied by scientists. We are only just starting to work on basic descriptions of *Zenkerella*'s anatomy. It's fun to think that there might be other elusive mammalian species out there, deep in the rainforests of central Africa that will be new to science."

Hunters caught the three *Zenkerella* specimens in ground snares near the southern tip of Bioko Island off the west coast of Africa. Villagers there said they catch *Zenkerella* in forest floor traps once or twice a year, but the meat is not desirable. Eyewitnesses said the rodent is nocturnally active and sleeps in tree hollows.

### The mystery remains

Scientists still know almost nothing about the unique rodent's way of life:



how it moves, whether it spends most of its time in the trees or on the ground, or what it eats. Future studies will detail *Zenkerella*'s anatomy, behavior, diet, ecology and locomotion on Bioko Island.



Credit: University of the West of England

The lack of knowledge about *Zenkerella*'s life history and ecology has led the International Union for Conservation of Nature to categorize the species as "least concern" because it is thought to be distributed over a broad geographical region in central Africa, said Drew Cronin, study coauthor and postdoctoral researcher with the Bioko Biodiversity Protection Program at Drexel University.

"This rating belies the fact that threats such as habitat loss and degradation are intense and widespread in central Africa," Cronin said. "*Zenkerella* may be under greater threat. The more information and visibility for the species that we can generate, the more likely we are to facilitate the research and conservation attention a unique species like *Zenkerella* requires."



**More information:** Steven Heritage et al. Ancient phylogenetic divergence of the enigmatic African rodentand the origin of anomalurid gliding, *PeerJ* (2016). DOI: 10.7717/peerj.2320, peerj.com/articles/2320/

#### Provided by University of Southern California

Citation: Researchers seek Zenkerella, an elusive scaly-tailed squirrel that has never been spotted alive by scientists (2016, August 16) retrieved 26 April 2024 from <u>https://phys.org/news/2016-08-zenkerella-elusive-scaly-tailed-squirrel-alive.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.