


Discovery of an extragalactic hot molecular core

September 29 2016




Artist's concept image of the hot molecular core discovered in the Large Magellanic Cloud. Credit: FRIS/Tohoku University. The figure is a derivative work of the following sources (ESO/M. Kornmesser; NASA, ESA, and S. Beckwith (STScI) and the HUDF Team; NASA/ESA and the Hubble Heritage Team (AURA/STScI)/HEI

Astronomers have discovered a 'hot molecular core', a cocoon of molecules surrounding a newborn massive star, for the first time outside our Galaxy. The discovery, which marks the first important step for observational studies of extragalactic hot molecular cores and challenges the hidden chemical diversity of our universe, appears in a paper in the *Astrophysical Journal* Volume 827.

The scientists from Tohoku University, the University of Tokyo, the National Astronomical Observatory of Japan, and the University of Tsukuba, used the Atacama Large Millimeter/submillimeter Array (ALMA) in Chile to observe a [newborn star](#) located in the Large Magellanic Cloud, one of the closest neighbors of our Galaxy. As a result, a number of radio emission lines from various molecular gas are detected, which indicates the presence of a hot molecular core associated with the observed newborn star (Fig. 1 and 2).

The observations have revealed that the hot molecular core in the Large Magellanic Cloud shows significantly different chemical compositions as compared to similar objects in our Galaxy. In particular, the results suggest that simple organic molecules such as methanol are deficient in this galaxy, suggesting a potential difficulty in producing large organic species indispensable for the birth of life. The research team suggests that the unique galactic environment of the Large Magellanic Cloud affects the formation processes of molecules around a newborn star, and this results in the observed unique chemical compositions.



Left: Distributions of molecular line emission from a hot molecular core in the Large Magellanic Cloud observed with ALMA. Emissions from dust, sulfur dioxide (SO₂), nitric oxide (NO), and formaldehyde (H₂CO) are shown as examples. Right: An infrared image of the surrounding star-forming region (based on the 8 micron data provided by the NASA/Spitzer Space Telescope). Credit: T. Shimonishi/Tohoku University, ALMA (ESO/NAOJ/NRAO)

"This is the first detection of an extragalactic hot molecular core, and it demonstrates the great capability of new generation telescopes to study astrochemical phenomena beyond our Galaxy," said Dr. Takashi Shimonishi, an astronomer at Tohoku University, Japan, and the paper's lead author. "The observations have suggested that the [chemical compositions](#) of materials that form stars and planets are much more diverse than we expected. "

It is known that various [complex organic molecules](#), which have a

connection to prebiotic molecules formed in space, are detected from hot molecular cores in our Galaxy. It is, however, not yet clear if such large and complex molecules exist in hot molecular cores in other galaxies. The newly discovered hot molecular core is an excellent target for such a study, and further observations of extragalactic hot molecular cores will shed light on the chemical complexities of our universe.

More information: Takashi Shimonishi et al. THE DETECTION OF A HOT MOLECULAR CORE IN THE LARGE MAGELLANIC CLOUD WITH ALMA, *The Astrophysical Journal* (2016). [DOI: 10.3847/0004-637X/827/1/72](https://doi.org/10.3847/0004-637X/827/1/72), On Arxiv: arxiv.org/abs/1606.02823

Provided by National Astronomical Observatory of Japan

Citation: Discovery of an extragalactic hot molecular core (2016, September 29) retrieved 26 April 2024 from <https://phys.org/news/2016-09-discovery-extragalactic-hot-molecular-core.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--