


Toward 'greener,' inexpensive solar cells

September 28 2016



Credit: American Chemical Society

Solar panels are proliferating across the globe to help reduce the world's dependency on fossil fuels. But conventional panels are not without environmental costs, too. Now scientists are reporting in the *Journal of the American Chemical Society* a new advance toward more practical, "greener" solar cells made with inexpensive halide perovskite materials. They have developed low-bandgap perovskite solar cells with a reduced



lead content and a power conversion efficiency of 15 percent.

In hopes of one day replacing silicon-based photovoltaic cells, which are relatively expensive and require a lot of energy to make, scientists have turned to hybrid organic-inorganic lead halide perovskites that can be developed at a lower cost using less energy than silicon. The efficiency of these materials has increased rapidly over the past several years. But further improving the efficiency requires stacking two sub-cells with the top one exhibiting a wide bandgap and the bottom a low bandgap to form a tandem cell. The bandgap refers to the lowest energy of light that a semiconductor can absorb. The performance of low-bandgap perovskite cells has been lagging for many years. Dewei Zhao, Ren-Gen Xiong, Yanfa Yan and colleagues sought a way to change this.

For their <u>solar cells</u>, the researchers developed a new precursor solution combining formamidinium tin iodide and methylammonium lead iodide. The resulting tin-lead perovskite cells had low bandgaps and up to 15 percent <u>power conversion efficiency</u>. Other teams recently reported low-bandgap cells with about 13.6 percent efficiency. Additionally, the cells contained 60 percent less lead than the lead-based, single-junction (non-tandem) perovskite solar cell holding the current record efficiency of 22.1 percent. The reduction in lead content and improved efficiency for a low-bandgap cell represent a significant step toward practical, more environmentally friendly perovskite <u>tandem solar cells</u>, the researchers say.

More information: Weiqiang Liao et al. Fabrication of Efficient Low-Bandgap Perovskite Solar Cells by Combining Formamidinium Tin Iodide with Methylammonium Lead Iodide, *Journal of the American Chemical Society* (2016). DOI: 10.1021/jacs.6b08337

Abstract

Mixed tin (Sn)-lead (Pb) perovskites with high Sn content exhibit low



bandgaps suitable for fabricating the bottom cell of perovskite-based tandem solar cells. In this work, we report on the fabrication of efficient mixed Sn–Pb perovskite solar cells using precursors combining formamidinium tin iodide (FASnI3) and methylammonium lead iodide (MAPbI3). The best-performing cell fabricated using a (FASnI3)0.6(MAPbI3)0.4 absorber with an absorption edge of \sim 1.2 eV achieved a power conversion efficiency (PCE) of 15.08 (15.00)% with an open-circuit voltage of 0.795 (0.799) V, a short-circuit current density of 26.86(26.82) mA/cm2, and a fill factor of 70.6(70.0)% when measured under forward (reverse) voltage scan. The average PCE of 50 cells we have fabricated is 14.39 \pm 0.33%, indicating good reproducibility.

Provided by American Chemical Society

Citation: Toward 'greener,' inexpensive solar cells (2016, September 28) retrieved 16 April 2024 from https://phys.org/news/2016-09-greener-inexpensive-solar-cells.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.