


A new way of taming ions can improve future health care

September 7 2016



A laser beam (from the right) falls onto a thin foil, with a mirror on the rear side. The beam is reflected, forming a standing wave. Because of the systematical variation in wavelength of the laser pulse, the crests of the wave start to move. This drags the electrons (red) and ions (green) along, accelerating them to high speeds in the direction of the arrows. Credit: Felix Mackenroth

A group of researchers at Chalmers University of Technology has discovered a completely new way of using lasers to accelerate ion beams. In time, the new technique could possibly give more people access to advanced cancer treatment. The results were recently published in the high impact journal *Physical Review Letters*.




Advanced ion technology may in some cases be used to treat otherwise inoperable tumors, such as <u>brain tumors</u>. The treatment involves a concentrated beam of <u>ions</u> that knock out the cancer cells, without damaging the healthy surrounding tissue. This is accomplished by the use of a so-called cyclotron accelerator. Today there are only a few facilities in the world that offer this kind of ion treatment.

"Only very few patients can receive the treatment today because such a facility is not even available in every European country. Using our method to control the ions, the same technology will hopefully in the future be used in equipment that is compact, inexpensive, and easy to use", says professor Mattias Marklund, Head of the Division of Theoretical Physics at Chalmers University of Technology and one of three researchers behind the discovery.

In just a short time he and his colleagues Felix Mackenroth and Arkady Gonoskov developed a novel technique, called "Chirped-Standing-Wave Acceleration", that could be a paradigm shift. The researchers' work is based on a particle accelerator where the ions are accelerated by using a laser, in contrast to conventional accelerators that use electric fields to accelerate ions.





A laser beam (purple-red) falls onto a thin foil, with a mirror on the rear side. The beam is reflected, forming a standing wave. Because of the systematical variation in wavelength of the laser pulse, the crests of the wave start to move. This drags the electrons and ions along, accelerating them to high speeds (green beam). Credit: Felix Mackenroth

"We knew that a laser could trap electrons but did not know how to move the electrons so that they could drag the ions with them. We found an elegant solution to this puzzle by letting the laser's wavelength vary continuously, in such a way that the ions were accelerated", says Arkady Gonoskov, postdoctoral researcher in physics.

So far there have been only a few ways to accelerate ions using lasers, and none of them could control the ions in an organized and efficient manner.



"It was more like using a sledgehammer. With our method we can capture, stabilize and organize large numbers of ions with great precision without using a lot of energy. This is a small step towards the ultimate goal of treating cancer tumors in a way that provides enormous benefit to society. But we are still far from the ultimate goal", says Felix Mackenroth, <u>postdoctoral researcher</u> in physics.

So far, the method has only been tested with the help of advanced computer simulations, but experiments are planned in cooperation with Lund University.

More information: F. Mackenroth et al. Chirped-Standing-Wave Acceleration of Ions with Intense Lasers, *Physical Review Letters* (2016). DOI: 10.1103/PhysRevLett.117.104801

Provided by Chalmers University of Technology

Citation: A new way of taming ions can improve future health care (2016, September 7) retrieved 26 April 2024 from <u>https://phys.org/news/2016-09-ions-future-health.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.