

How to be a male without the Y chromosome

September 30 2016



Chromosomal location of the sex-related gene AMH (arrowheads) in male T. osimensis. Chromosomes are double-stained with different fluorescent substances (red and blue) for the precise gene mapping. Credit: Otake T. and Kuroiwa A. Molecular mechanism of male differentiation is conserved in the SRY-absent mammal. Tokudaia osimensis. September 9, 2016, Scientific Reports.

Hokkaido University researchers have revealed that key sex-determining genes continue to operate in a mammalian species that lacks the Y chromosome, taking us a step further toward understanding sex differentiation.



In most <u>placental mammals</u>, the Y chromosome induces male differentiation during development, whereas embryos without it become female. The sex-determining gene SRY is present on the Y chromosome and induces other regulatory genes that suppress female differentiation. The Amami spiny rat (Tokudaia osimensis) is exceptional as it lacks a Y chromosome and thus the SRY gene, raising the question of why male differentiation can still occur.

Tomofumi Otake and Asako Kuroiwa of Hokkaido University in Japan performed gene mapping to determine the chromosomal locations of sexrelated genes in the T. osimensis genome. They then compared its nucleotide and <u>amino acid sequences</u> with those of the mouse and rat. Furthermore, using cultured cells, they examined how the sex-related genes were regulated.

SRY has been well-investigated in previous research and is known to turn on a range of regulatory genes such as Sox9 and AMH that play an important role in male differentiation. The team's results suggest that, even though there is no SRY gene in T. osimensis, the regulatory genes that normally turns on are present and operate as they do in other placental mammals.

"We speculate that there is an unknown gene that acts as a substitute for SRY in T. osimensis," says Professor Kuroiwa. "The mammalian Y chromosome has been shrinking through an evolutionary process by reducing the number of its genes, and some scientists think that it will completely disappear at some point. I hope our research will help in the understanding of the sex determination mechanism that is independent on the Y chromosome and its evolutionary aspect."

More information: Tomofumi Otake et al. Molecular mechanism of male differentiation is conserved in the SRY-absent mammal, Tokudaia osimensis, *Scientific Reports* (2016). DOI: 10.1038/srep32874



Provided by Hokkaido University

Citation: How to be a male without the Y chromosome (2016, September 30) retrieved 15 May 2024 from <u>https://phys.org/news/2016-09-male-chromosome.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.