


Findings about protein could open door to new class of antibiotics

September 1 2016



New findings about a peroxiredoxin, based on the first-ever images using X-ray crystallography, may set the stage for a new class of antibiotics. Credit: Oregon State University

Researchers have made the first-ever detailed, atomic-level images of a peroxiredoxin, which has revealed a peculiar characteristic of this protein and might form the foundation for a new approach to antibiotics.

Scientists at Oregon State University have used X-ray crystallography, a powerful technique that can reveal structures down to their individual atoms, to study the fundamental nature and behavior of this peroxiredoxin. Their findings were announced today in the journal *Structure*.

Peroxiredoxin is needed by all [cells](#) to help eliminate [hydrogen peroxide](#), a toxin, and in normal cells this process is healthy and valuable. But peroxiredoxins inside bacteria also help provide protection from our [immune cells](#) and increase the virulence of bacterial cells that cause infections.

The researchers were able to visualize peroxiredoxin chemistry in action. They found that when it's restrained and loses its mobility, it also loses its function. And if the normal function is lost, it can lead to cell death.

If a molecule can be found that selectively blocks the motions of peroxiredoxin only in [bacterial cells](#) - which the researchers believe may be possible - it could function as an entirely new way to kill those cells. This would leave [normal cells](#) undamaged and set the stage for new types of antibiotics.

With the increasing problem of antibiotic resistance to many existing

drugs, this approach could have significant value, researchers said. It might also work in synergy with existing antibiotics to improve their efficacy, they said.

"Peroxiredoxins are found in animals, plants, and bacteria, and are proteins that are crucial for cell survival," said Arden Perkins, the lead author on this study which was done at OSU, in collaboration with Andrew Karplus, a distinguished professor of biochemistry in the OSU College of Science.

"The main function of peroxiredoxins is to eliminate hydrogen peroxide in cells by converting it to water," Perkins said. "This toxin is a byproduct of normal cell metabolism, and hydrogen peroxide has to be removed so it doesn't damage the cell. If peroxiredoxin doesn't do its job, cells will die."

With the extraordinary images provided by X-ray crystallography, the research also discovered that there are special regions on bacterial peroxiredoxins, different from those found in humans, that could be specifically targeted. If compounds could aim at those targets and selectively shut down the protective function of peroxiredoxin just in bacteria, it would weaken or kill those cells.

"There's a lot of potential for this to be foundational work, something we can build on to create a new class of [antibiotics](#)," Perkins said. "The key concept is selectively restraining the motions of peroxiredoxins in some cells, inactivating its function and leading to the death of the cells you want to kill."

In related approaches, Perkins said, the concept may also hold some value against certain non-bacterial pathogens, like those that cause malaria or African sleeping sickness, which increasingly are difficult to treat.

More information: *Structure*, [DOI: 10.1016/j.str.2016.07.012](https://doi.org/10.1016/j.str.2016.07.012)

Provided by Oregon State University

Citation: Findings about protein could open door to new class of antibiotics (2016, September 1)
retrieved 23 April 2024 from <https://phys.org/news/2016-09-protein-door-class-antibiotics.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.