


## Scientists visualise quantum behaviour of hot electrons for first time

September 28 2016



The Scanning Tunnelling Microscope used to inject electrons into a silicon surface at the University of Birmingham. Credit: Michelle Tennison

Scientists have, for the first time, identified a method of visualising the quantum behaviour of electrons on a surface. The findings present a



promising step forward towards being able to manipulate and control the behaviour of high energy, or 'hot', electrons.

A Scanning Tunnelling Microscope was used to inject <u>electrons</u> into a silicon surface, decorated with toluene molecules. As the injected charge propagated from the tip, it induced the molecules to react and 'lift off' from the surface.

By measuring the precise atomic positions from which molecules departed on injection, the team were able to identify that electrons were governed by quantum mechanics close to the tip, and then by more classical behaviour further away.

The team found that the molecular lift-off was "suppressed" near the point of charge injection, because the classical behaviour was inhibited. The number of reactions close to the tip increased rapidly until reaching a radius, up to 15 nanometres away, before seeing relatively slow decay of reactions beyond that point more in keeping with classical behaviour. This radius, at which the behaviour changes from quantum to classical, could be altered by varying the energy of the electrons injected.

The research, published in *Nature Communications*, is the result of ongoing collaboration between the University of Birmingham and the University of Bath.





Researcher Lucas Barreto adjusting the Scanning Tunnelling Microscope at the University of Birmingham. Credit: Michelle Tennison


Professor Richard Palmer, from the University of Birmingham, explained: "When an electron is captured by a molecule of toluene, we see the molecule lift off from the surface – imagine the Apollo lander leaving the moon's surface. By comparing before and after images of the surface we measure the pattern of these molecular launch sites and reveal the behaviour of electrons in a manner not possible before.

"These findings are, crucially, undertaken at <u>room temperature</u>. They show that the <u>quantum behaviour</u> of electrons which is easily accessible at close to absolute zero temperature (-273°C!) persist under the more balmy conditions of room temperature and over a "large" 15 nanometre



scale. These findings suggest future atomic-scale quantum devices could work without the need for a tank of liquid helium coolant."

Dr Peter Sloan, from the University of Bath, added: "Hot electrons are essential for a number of processes – certain technologies are entirely reliant on them. But they're notoriously difficult to observe due to their short lifespan, about a millionth of a billionth of a second. This visualisation technique gives us a really new level of understanding."



Professor Richard Palmer, from the University of Birmingham, with the Scanning Tunnelling Microscope. Credit: Michelle Tennison



Now that the team have developed the method of visualising quantum transport, the goal is to understand how to control and manipulate the wave function of the electron. This could be by injecting electrons through a cluster of metal atoms, or by manipulating the surfaces themselves to harness the quantum effects of electrons.

The implications of being able to manipulate the behaviour of <u>hot</u> <u>electrons</u> are far-reaching; from improving the efficiency of solar energy, to improving the targeting of radiotherapy for cancer treatment.

**More information:** K. R. Rusimova et al, Initiating and imaging the coherent surface dynamics of charge carriers in real space, *Nature Communications* (2016). DOI: <u>dx.doi/10.1038/ncomms12839</u>

Provided by University of Birmingham

Citation: Scientists visualise quantum behaviour of hot electrons for first time (2016, September 28) retrieved 2 May 2024 from <u>https://phys.org/news/2016-09-scientists-visualise-quantum-behaviour-hot.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.