

# 'Tracking bugs' reveal secret of cancer cell metabolism

September 12 2016, by Diana Lutz



Metabolism is nothing if not complicated. Some of the major metabolic pathways are shown in this metro-style map. Credit: Washington University in St. Louis



One of the hallmarks of cancer is a change in cellular metabolism, a series of chemical reactions so fundamental to life that their alteration makes cancer cells seem creepily malevolent.

Healthy cells take in blood sugar (<u>glucose</u> molecules), which they break down to extract energy. This happens in two phases—one phase that takes place in the cytoplasm and a subsequent phase that occurs inside cellular compartments called <u>mitochondria</u>.

Cancer cells are thought to mostly skip the mitochondrial phase, compensating for the energy they forgo by revving up the first phase and breaking down glucose rapidly to secrete large quantities of lactate—a form of partially digested glucose that has long been regarded as a "waste product."

Some parts of this hypothesis must be true because cancer cells do soak up more glucose than <u>healthy cells</u>; this increased <u>glucose uptake</u> is significant enough to be the basis of an imaging technique used to diagnose cancer in the clinic.

On the other hand, it has been hard to understand how cells could discard most of the energy and substance that can be produced from glucose, like royal food testers taking only one bite of each "dish."

"It's been a very confusing topic in cancer research for a long time—seemingly paradoxical—that cancer cells could be so wasteful," said Gary J. Patti, PhD, associate professor of chemistry at Washington University in St. Louis.

In the Sep. 12, 2016 advance online issue of *Nature Chemical Biology* Patti and then doctoral student, now PhD, Amanda (Ying-Jr) Chen describe the surprising results of a seemingly simple experiment. Originally undertaken to test a new methodology, their findings



unexpectedly challenged this notion of cancer metabolism.



In 1924, the German physiologist Otto Warburg discovered that cancer cells tend to ferment glucose into lactate even in the presence of oxygen. They apparently shift from metabolizing glucose in the mitochondria to breaking down most glucose in the cytoplasm. Highly malignant cells may run metabolism in the cytoplasm an astonishing 200 times faster than normal cells. Credit: Patti Lab

By studying lactate, they showed that cancer cells can run their energy production differently than thought. They have the ability to import the "waste product" lactate into the mitochondria where the rest of the glucose energy can then be extracted.

"If you look up lactate in our undergraduate biochemistry textbook, it says that lactate is secreted as a waste product," Patti said, "but our research shows that it doesn't have to be; it can be used productively."



#### The Warburg puzzle

Most of the energy that cells need to live is produced in the mitochondria, the so-called powerhouse of the cell. Only 5 percent of glucose's energy can be extracted in the cytoplasm, whereas 95 percent can be extracted in the mitochondria. To produce energy in the mitochondria, oxygen is required. This explains why our muscles fatigue when we exercise. If we exert our muscles faster than our lungs can deliver oxygen, then we can only extract 5 percent of the energy from glucose.

In 1924, the German physiologist Otto Warburg discovered that cancer cells tend to ferment glucose into lactate even in the presence of oxygen. They apparently shift from metabolizing glucose in the mitochondria to breaking down most glucose in the cytoplasm.

Highly malignant cells may run metabolism in the cytoplasm an astonishing 200 times faster than normal cells.





When scientists tagged carbon in lactate and fed it to cancer cells, they didn't expect the tags to go anywhere. Instead they got thousands of signals. The lactate was entering the cells' mitochondria, where its energy was extracted and its atoms reused to make other molecules. Credit: Patti Lab

This observation, called the Warburg effect, has long puzzled cancer researchers. Why would cells that are rapidly growing switch to a form of metabolism that generates less energy? What advantage does it confer?

Despite many efforts to resolve this issue, it never really went away. "If you look at metabolic maps in the literature," Patti says, "there's usually only an arrow showing lactate going outside of the cell. It's only a single arrow, but it makes a big difference."

## A dead end that wasn't

To study metabolism in an unbiased way, Patti's lab puts tags (isotope labels) on nutrients so that they can track what becomes of them when they are metabolized by cells.

"We developed this technology," Patti said. "And we thought, 'OK, what's the first thing we should test it on?' We decided an obvious experiment to try was lactate, which is often called a dead end. We expected that giving cancer cells this dead-end tag would demonstrate that our technology works, because we wouldn't see much else tagged."

But when Chen did the experiment, it didn't turn out as expected. "We saw thousands of labeled signals," she said. "Nearly every lipid in the cell ended up tagged. It was very unexpected and exciting." The cells weren't



just extracting extra energy from lactate, they were then using its atoms to make other important building blocks essential to cancer cell growth.

"It's a big transition," Patti said. "We're going from saying something is thrown away to saying that it makes effectively an entire class of molecules in cancer cells."

Since the finding was so startling, the team ran a series of experiments to ensure that the lactate was actually going into the mitochondria. The experiments not only confirmed that lactate can be transported into the mitochondria, but also demonstrated that an enzyme within the mitochondria metabolizes lactate to produce <u>energy</u> and cellular building blocks.

## Having your cake and eating it too

So why waste effort converting glucose into lactate if it is just going to be transported into the mitochondria anyway?

When cells metabolize glucose in the cytoplasm, it produces electrons. They have to put the electrons somewhere, or the tightly regulated metabolic reactions cannot continue . Healthy cells move the electrons into the mitochondria, but cancer cells make electrons so fast that they can't keep up. This forces <u>cancer cells</u> to stick the electrons on lactate and excrete it, or so it was thought.

"We think what we have found is a work around," Patti said. Cancer cells stick electrons on <u>lactate</u>, but that doesn't mean the precious nutrient has to be wasted.

"It's a case of having your cake and eating it too," he said.

More information: Ying-Jr Chen et al, Lactate metabolism is



associated with mammalian mitochondria, *Nature Chemical Biology* (2016). DOI: 10.1038/nchembio.2172

#### Provided by Washington University in St. Louis

Citation: 'Tracking bugs' reveal secret of cancer cell metabolism (2016, September 12) retrieved 1 May 2024 from <u>https://phys.org/news/2016-09-tracking-bugs-reveal-secret-cancer.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.