

Australians waiting for the Tiger mosquito

October 31 2016, by Andrew Trounson



The proboscis of an *Aedes albopictus* mosquito feeding on human blood. Credit: James Gathany, Centers for Disease Control and Prevention's Public Health Image Library (PHIL)

A swarm of mosquitoes is an accident waiting to happen. But perhaps the bigger issue facing Australia isn't so much whether the mosquitoes here are swarming, but rather whether a certain "tiger" mosquito lurking

just to the north in the Torres Strait ever makes it to the Australian mainland.

A female mosquito lays hundreds of eggs at a time, and within ten days newly minted adults are leaving their stagnant water homes to buzz around our ears and ankles. Victoria is braced for swarms of the things after late winter floods and warming spring temperatures created perfect breeding conditions, prompting public [health warnings](#) and forcing councils to start spraying breeding sites.

But as Victorians stalk their bedrooms and hallways armed with insecticide cans, they should count their blessings that for now at least the *Aedes albopictus* mosquito remains in the Torres Strait.

Nicknamed "Tiger" because of the bright white stripe on its back and the white bands on its legs, *albopictus* is a biting mosquito that can carry a variety of tropical diseases. And it doesn't mind a bit of chilly whether. Which means, if it crossed to the mainland it could cover much of the country, making once exotics tropical diseases into more common temperate ones.

"*Albopictus* is one of our main quarantine pests," says Professor Ary Hoffmann of the Bio21 Institute at the University of Melbourne. "Its ability to withstand colder weather has allowed it to invade Europe and North America." And as far as Professor Hoffmann is concerned, despite our quarantine efforts it is likely a matter of when, not if, the Tiger makes it to the mainland. It was first reported in the Torres Strait islands in 2005.

At the moment the rise in mosquito numbers in Victoria has prompted health warnings about comparatively rare mosquito-borne diseases such as the non-fatal Ross River Fever and Barmah Forest viruses, and the potentially fatal Murray Valley Encephalitis. But if *albopictus* arrives

here Professor Hoffmann says we will have to add [dengue fever](#), which is currently just limited to northern Queensland, as well as the zika and chikungunya viruses.

Many mosquito breeds tend to be more active at dawn and dusk when the air is more humid and the insects are at less risk of drying out. But Professor Hoffmann says albopictus doesn't mind a bit of daylight. It means that albopictus is active and biting in the middle of the day. "It is regarded as a massive irritant as well as being a vector for diseases, making it a real nuisance for outdoor activities."

Professor Hoffmann and colleagues have modelled the possible reach of albopictus if it does arrive, and they predict it could become widespread as far south as northern Tasmania. "It will go a long way," he says

While their modelling suggests it would be concentrated on the coastal fringes of the continent, its spread so far in North America and elsewhere suggests forms of this mosquito could also travel further inland in Australia.

Dengue fever is spreading rapidly elsewhere around the world as a direct result of albopictus migrating into more temperate climates and the ongoing spread of its sister species *Aedes aegypti*. Since 1970 the number of countries where dengue is endemic, that is it is present, has risen from just nine to now 100. And there are a rising number of outbreaks.

The World Health Organization says 2015 was a particularly bad year with outbreaks of over 100,000 cases in the Philippines and Malaysia, representing a 60 per cent and 16 per cent increase respectively on the previous year. The number of cases in Brazil trebled to over 1.5 million, and Delhi in India reported its worst outbreak since 2006 with 15,000 cases. In 2014, China's Guangdong province near Hong Kong reported

its worst outbreak with 45,000 reported cases and six confirmed deaths.

WHO now warns that Europe is also at risk of possible outbreaks. Cases of local transmission were reported in France and Croatia in 2010.

The main vector of dengue has been *Aedes aegypti* mosquito, which is limited to tropical climates including northern Australia. But the ability of *albopictus* to withstand cold temperatures means the disease is now spread more widely. It is believed to have travelled into northern climes by breeding in water puddles caught inside imported tyres and bamboo. Its eggs can survive temperatures below freezing.

Dengue fever has similar symptoms to mosquito-borne malaria, but is less fatal. Dengue can cause severe flu-like symptoms, headaches and joint pain, as well as vomiting and rashes. Severe dengue fever, known as [dengue haemorrhagic fever](#), is present in most Asian and Latin American countries, and with proper medical attention fatality rates from severe dengue can be kept below 1 per cent. It is estimated that every year about 500,000 people are infected with severe dengue fever requiring hospitalisation, of which about 2.5 per cent die. In contrast, in 2015 there were 438,000 deaths from malaria.

"Dengue isn't as deadly as malaria, but while the incidence of malaria is going down the incidence of dengue fever is going up, and the resulting economic impact can be massive because dengue can still really knock people around."

"We hope *albopictus* won't hit the mainland but I think it is inevitable that it will at some stage, it is just a matter of time. And when it does you will certainly notice it."

The odd temporary swarm of mosquitoes may be the least of our problems.

More information: Matthew P. Hill et al. Predicting the spread of in Australia under current and future climates: Multiple approaches and datasets to incorporate potential evolutionary divergence, *Austral Ecology* (2014). [DOI: 10.1111/aec.12105](https://doi.org/10.1111/aec.12105)

Provided by University of Melbourne

Citation: Australians waiting for the Tiger mosquito (2016, October 31) retrieved 26 April 2024 from <https://phys.org/news/2016-10-australians-tiger-mosquito.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.