


# Biocompatible fibers could use light to stimulate cells or sense signs of disease

October 17 2016, by Jennifer Chu

---



MIT researchers have developed a stretchy optical fiber in which they have injected multiple organic dyes (yellow, blue, and green regions). In addition to lighting up, the dyes act as a strain sensor, enabling researchers to quantify where and by how much a fiber has been stretched. Credit: Massachusetts Institute of Technology

Researchers from MIT and Harvard Medical School have developed a biocompatible and highly stretchable optical fiber made from hydrogel—an elastic, rubbery material composed mostly of water. The fiber, which is as bendable as a rope of licorice, may one day be implanted in the body to deliver therapeutic pulses of light or light up at the first sign of disease.

The researchers say the fiber may serve as a long-lasting implant that would bend and twist with the body without breaking down. The team has published its results online in the journal *Advanced Materials*.

Using [light](#) to activate cells, and particularly neurons in the brain, is a highly active field known as optogenetics, in which researchers deliver short pulses of light to targeted tissues using needle-like fibers, through which they shine light from an LED source.

"But the brain is like a bowl of Jell-O, whereas these fibers are like glass—very rigid, which can possibly damage brain tissues," says Xuanhe Zhao, the Robert N. Noyce Career Development Associate Professor in MIT's Department of Mechanical Engineering. "If these fibers could match the flexibility and softness of the brain, they could provide long-term more effective stimulation and therapy."

## Getting to the core of it

Zhao's group at MIT, including graduate students Xinyue Liu and Hyunwoo Yuk, specializes in tuning the mechanical properties of hydrogels. The researchers have devised multiple recipes for making tough yet pliable hydrogels out of various biopolymers. The team has also come up with ways to bond hydrogels with various surfaces such as metallic sensors and LEDs, to create stretchable electronics.

The researchers only thought to explore hydrogel's use in optical fibers

after conversations with the bio-optics group at Harvard Medical School, led by Associate Professor Seok-Hyun (Andy) Yun. Yun's group had previously fabricated an optical fiber from hydrogel material that successfully transmitted light through the fiber. However, the material broke apart when bent or slightly stretched. Zhao's hydrogels, in contrast, could stretch and bend like taffy. The two groups joined efforts and looked for ways to incorporate Zhao's hydrogel into Yun's optical fiber design.

Yun's design consists of a core material encased in an outer cladding. To transmit the maximum amount of light through the core of the fiber, the core and the cladding should be made of materials with very different refractive indices, or degrees to which they can bend light.

"If these two things are too similar, whatever light source flows through the fiber will just fade away," Yuk explains. "In optical fibers, people want to have a much higher refractive index in the core, versus cladding, so that when light goes through the core, it bounces off the interface of the cladding and stays within the core."

Happily, they found that Zhao's hydrogel material was highly transparent and possessed a refractive index that was ideal as a core material. But when they tried to coat the hydrogel with a cladding polymer solution, the two materials tended to peel apart when the fiber was stretched or bent.

To bond the two materials together, the researchers added conjugation chemicals to the cladding solution, which, when coated over the hydrogel core, generated chemical links between the outer surfaces of both materials.

"It clicks together the carboxyl groups in the cladding, and the amine groups in the core material, like molecular-level glue," Yuk says.

## Sensing strain

The researchers tested the optical fibers' ability to propagate light by shining a laser through fibers of various lengths. Each fiber transmitted light without significant attenuation, or fading. They also found that fibers could be stretched over seven times their original length without breaking.

Now that they had developed a highly flexible and robust [optical fiber](#), made from a hydrogel material that was also biocompatible, the researchers began to play with the fiber's optical properties, to see if they could design a fiber that could sense when and where it was being stretched.

They first loaded a fiber with red, green, and blue organic dyes, placed at specific spots along the fiber's length. Next, they shone a laser through the fiber and stretched, for instance, the red region. They measured the spectrum of light that made it all the way through the fiber, and noted the intensity of the red light. They reasoned that this intensity relates directly to the amount of light absorbed by the red dye, as a result of that region being stretched.

In other words, by measuring the amount of light at the far end of the fiber, the researchers can quantitatively determine where and by how much a fiber was stretched.

"When you stretch a certain portion of the fiber, the dimensions of that part of the fiber changes, along with the amount of light that region absorbs and scatters, so in this way, the fiber can serve as a sensor of strain," Liu explains.

"This is like a multistrain sensor through a single fiber," Yuk adds. "So it can be an implantable or wearable strain gauge."

The researchers imagine that such stretchable, strain-sensing optical fibers could be implanted or fitted along the length of a patient's arm or leg, to monitor for signs of improving mobility.

Zhao envisions the fibers may also serve as sensors, lighting up in response to signs of disease.

"We may be able to use optical fibers for long-term diagnostics, to optically monitor tumors or inflammation," he says. "The applications can be impactful."

"Hydrogel fibers are very interesting and provide a compelling direction for embedding light within the human body," says Fiorenzo Omenetto, a professor of biological engineering at Tufts University, who was not involved in the work. "These efforts in optimizing and managing the physical and mechanical properties of fibers are necessary and important next steps that will enable practical applications of medical relevance."

*This story is republished courtesy of MIT News ([web.mit.edu/newsoffice/](http://web.mit.edu/newsoffice/)), a popular site that covers news about MIT research, innovation and teaching.*

Provided by Massachusetts Institute of Technology

Citation: Biocompatible fibers could use light to stimulate cells or sense signs of disease (2016, October 17) retrieved 2 May 2024 from <https://phys.org/news/2016-10-biocompatible-fibers-cells-disease.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------