

# Biomass heating could get a 'green' boost with the help of fungi

October 19 2016

---

In colder weather, people have long been warming up around campfires and woodstoves. Lately, this idea of burning wood or other biomass for heat has surged in popularity as an alternative to using fossil fuels. Now, in the journal *ACS Sustainable Chemistry & Engineering*, scientists report a step toward a "greener" way to generate heat with biomass. Rather than burning it, which releases pollutants, they let fungi break it down to release heat.

The benefit of [biomass](#), which consists of plant material and animal waste, is that there is no shortage. It is produced continuously in enormous quantities as a waste product from paper and agricultural industries. But burning it emits fine particles and volatile organic compounds, or VOCs, linked to health and environmental problems. So scientists have been trying to figure out how to use biomass with minimal emissions. One approach involves adding microorganisms that can degrade the materials. In this process, [heat](#) is released without giving off fine particles or VOCs. So far, most investigations into this method have involved room-temperature conditions. But for sustained use, these reactions would need to take place at temperatures above ambient conditions as heat is produced. Leire Caizán Juanarena and colleagues wanted to warm things up to see how much heat they could coax out of the process.

The researchers incubated two fungi species that do well in hot climates—lignin-degrading *Phanerochaete chrysosporium* and cellulose-degrading *Chaetomium thermophilum*—with blocks of birch [wood](#),

either sterile or with its natural biota. *C. thermophilum* produced the most heat (0.63 Watts per kilogram) when degrading wood with its usual microbial inhabitants. To generate enough heat for an average home in the Netherlands, for example, the researchers say they need to determine optimal nutrient, moisture and temperature conditions, as well as other parameters, to increase power production to 6 W/kg.

**More information:** Leire Caizan Juanarena et al. Wood degradation by thermotolerant and thermophilic fungi for sustainable heat production, *ACS Sustainable Chemistry & Engineering* (2016). [DOI: 10.1021/acssuschemeng.6b00914](https://doi.org/10.1021/acssuschemeng.6b00914)

### **Abstract**

The use of renewable biomass for production of heat and electricity plays an important role in the circular economy. Degradation of wood biomass to produce heat is a clean and novel process proposed as an alternative to wood burning, and could be used for various heating applications. So far, wood degradation has mostly been studied at ambient temperatures. However, the process needs to occur at elevated temperatures (40-55 °C) to produce useable heat. Our objective was to study wood degradation at elevated temperatures for its potential application on heat production. Two (a thermotolerant and a thermophilic) fungi with different degradation strategies were chosen: lignin-degrading *Phanerochaete chrysosporium* and cellulose-degrading *Chaetomium thermophilum*. Each fungus was inoculated on non-sterile and sterile birch woodblocks to respectively study their wood degradation activity with and without natural biota (i.e., microorganisms naturally present in wood). The highest wood decay rates were found with *C. thermophilum* in presence of natural biota, followed by *P. chrysosporium* under sterile conditions. The estimated theoretical value of heat production with *C. thermophilum* under non-sterile conditions was 0.6 W kg<sup>-1</sup> wood. In conclusion, *C. thermophilum* seems a promising fungus to degrade wood together with natural biota, as

sterilization of wood is not feasible in practice. Further testing on larger scale is needed to implement the obtained results and validate the potential of biological wood degradation for heat production.

Provided by American Chemical Society

Citation: Biomass heating could get a 'green' boost with the help of fungi (2016, October 19)  
retrieved 18 April 2024 from <https://phys.org/news/2016-10-biomass-green-boost-fungi.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.