

First dinosaur bones found in Denali National Park

October 18 2016, by Theresa Bakker



UA Museum of the North research assistant Heather MacFarlane shows off one of the dinosaur bone fragments discovered in Denali National Park in July 2016 by museum researchers working with the park's paleontology staff. Credit: UAMN photo by Pat Druckenmiller

Paleontologists from the University of Alaska Fairbanks and the National Park Service found the first dinosaur bones in Denali National Park during an expedition in July. They also discovered several new dinosaur trackways, which are fossilized impressions left by ancient animals walking through mud that eventually became rock.

Pat Druckenmiller, curator of Earth sciences at the University of Alaska Museum of the North, is leading a collaborative project with Denali National Park over the next several years to explore additional areas and make new discoveries.

"This marks the beginning of a multi-year project to locate, document and study dinosaur fossils in Denali National Park," Druckenmiller said. "This is a world-class site for tracks of [dinosaurs](#) and other animals that lived in Alaska during the Cretaceous Period. Now that we have found bones, we have another way to understand the dinosaurs that lived here 70 million years ago."

The research team found four different fragments, including one ossified tendon. The largest is a few inches long. They are clearly parts of bigger bones from a large animal. This rules out other animals with a backbone known from this geological period, including mammals, birds and even flying reptiles. Because they are parts of much bigger bones, Druckenmiller expects more complete remains may be found in the park.



A team of UAF students and paleontologists, along with Denali National Park employees, explore Denali's backcountry in search of dinosaur fossils in July 2016. Credit: UAMN photo by Pat Druckenmiller

"Finding these bones opens a new chapter in the story of Denali dinosaurs," he said. "That story is still being written as we find new sites, new kinds of dinosaurs and evidence of their behavior."

Before 2005, there was no known dinosaur record in Denali. That year, UAF students discovered the first track in the Cantwell Formation near Igloo Creek. Since then paleontologists have catalogued thousands of tracks. Still, this is the first time scientists have found identifiable bones

left by animals that populated the area during the Late Cretaceous Period.

Park geologist Denny Capps said Denali National Park was created to protect the present intact ecosystem 99 years ago.

"We now know that it protects an ancient ecosystem, as well," Capps said. "Visitors could discover a fresh bear track next to a 70-million-year-old dinosaur track or potentially even a bone. Thankfully, these resources are protected within the Denali wilderness for all to enjoy."



A bone fragment from a Denali dinosaur shows the highly porous texture indicating it came from the end of a limb bone. The microstructure (inset) shows that it is rich in bone cells, the tiny black dots. Among terrestrial animals of this time period, only dinosaurs show these attributes. Credit: Gregory Erickson

Heather MacFarlane, a UA Museum of the North research assistant, discovered the first bone. She and other researchers recognized the fragments as bones rather than sedimentary material based on the surface and internal structure. These fossils closely resemble other plant-eating dinosaur bones found in Alaska.

Paleontologist Cassi Knight, physical science technician for Denali National Park, was with MacFarlane when the discovery was made.

"It is significant because it answers a question that has been standing for the past 11 years; 'Are there [dinosaur bones](#) preserved in the Cantwell Formation?'" Knight said. "We have a great record of dinosaurs inhabiting this area, and now we finally know that their bones are preserved, too."

Gregory Erickson, a Florida State University researcher who specializes in the use of bone and tooth histology to interpret the paleobiology of dinosaurs, was also part of the discovery team. He is preparing thin sections of some of the fossils. Scientists can examine these delicate slices under high-powered microscopes to determine the type of animal that left the bones behind. Annual growth lines and other patterns can also reveal the animal's age.



An extremely well-preserved footprint in Denali National Park reveals a meat-eating dinosaur's claws, fleshy toe pads and pebbly skin texture. Credit: Pat Druckenmiller

Based on the shape and structure of the fossilized tendon discovered by the team, Erickson and Druckenmiller determined that it is from a large ornithomimid dinosaur, probably a hadrosaur. These duck-billed, herbivorous dinosaurs were probably the most abundant large animals in Alaska. They were also the primary track-makers in the park during this time period.

Another larger fragment is composed of spongy bone originating from

the end of a large animal's limb. This microstructure shows the bone didn't come from a crocodile or other slow-growing, cold-blooded animal. It is clearly from a medium-sized to large dinosaur, they said.

Druckenmiller and Erickson previously published documentation suggesting that during this time period, a distinct, polar fauna existed in what is now Alaska. Then, a polar forest covered the Arctic because the climate was much warmer. The dinosaurs had to contend with months of winter darkness and cooler temperatures than environments typically associated with dinosaurs.

Provided by University of Alaska Fairbanks

Citation: First dinosaur bones found in Denali National Park (2016, October 18) retrieved 20 May 2024 from <https://phys.org/news/2016-10-dinosaur-bones-denali-national.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.