

Extensive deep coral reefs in Hawaii harbor unique species and high coral cover

October 4 2016



Rebreather diver and lead author Richard Pyle uses an advanced closed-circuit rebreather in conjunction with the Hawai'i Undersea Research Laboratory's Pisces V submersible to explore deep coral reefs off Hawaii. Credit: Robert K. Whitton. License: CC-BY

A team of sixteen researchers has completed a comprehensive investigation of deep coral-reef environments, known as mesophotic coral ecosystems, throughout the Hawaiian Archipelago. The study,

published in the open-access journal *PeerJ*, spanned more than two decades and involved a combination of submersibles, remotely operated vehicles, drop-cameras, data recorders, and advanced mixed-gas diving to study these difficult-to-reach environments. The researchers documented vast areas of 100% coral-cover and extensive algal communities at depths of 50-90 meters (165-300 feet) extending for tens of square kilometers, and found that the deep-reef habitats are home to many unique and distinct species not found on shallow reefs. The findings of the study have important implications for the protection and management of coral reefs in Hawaii and elsewhere.

"This is one of the largest and most comprehensive studies of its kind," said Richard Pyle, Bishop Museum researcher and lead author of the publication. "It involved scientists in many different disciplines and from multiple federal, state, and private organizations working together with a range of different technologies across the entire Hawaiian Archipelago."

The primary objective of the study was to characterize deep coral reef habitat, known as "mesophotic coral ecosystems" or the coral-reef "Twilight Zone". Coral reefs at depths of 30 to 150 meters (100 to 500 feet) are among the most poorly explored of all marine ecosystems on Earth. Deeper than conventional scuba divers can safely venture, and shallower than most submersible-based exploration, these reefs represent a new frontier for coral-reef research.

To document these elusive deep coral reefs, the team used a wide range of advanced technology, including multibeam bathymetry mapping, mixed-gas closed-circuit rebreather diving, towed and remotely operated camera systems, a variety of environmental sensors for recording light, temperature, water movement and other parameters, and two research submersibles operated by the Hawai'i Undersea Research Laboratory. One of the novel approaches taken during the project was to combine rebreather divers and submersibles together on coordinated dives.

"Free-swimming divers and submersibles don't often work side-by-side on scientific research projects," said Pyle. "Submersibles can go much deeper and stay much longer, but divers can perform more complex tasks to conduct experiments and collect specimens. Combining both together on the same dives allowed us to achieve tasks that could not have been performed by either technology alone."

A major focus of the study was to document extensive areas of 100% coral cover at depths of 90 meters (300 feet) or more off the islands of Maui and Kaua'i. In particular, vast expanses of continuous coral cover, extending for tens of square kilometers, exist in many sites in the 'Au'au channel off the southwest side of Maui. The reefs are dominated by stony, reef-building corals in the genus *Leptoseris*, a plate-like coral specialized for deep-reef environments.

"These are some of the most extensive and densely populated coral reefs in Hawai'i," said Anthony Montgomery, a U.S. Fish and Wildlife biologist and co-author of the study who previously represented the Hawai'i State Department of Land and Natural Resources during most of the project. "It's amazing to find such rich coral communities down so deep."

In addition to the corals, the area is also home to extensive algae meadows that support unique communities of fishes and invertebrates. More than seventy species of macroalgae inhabiting the deep reefs were identified during the study, and several more new species have not yet been assigned formal scientific names. Both corals and algae depend on sunlight to drive photosynthesis, and the study attributed the existence of many of the deep reef habitats to exceptionally clear water.



Macroalgae beds such as this *Microdictyon setchellianum* at a depth of 64 meters (210 feet) off Pearl and Hermes Atoll play a critical role in the ecology of deep coral-reef ecosystems. Nearly every fish in this image is a species endemic to the Hawaiian Islands. Credit: Greg McFall

"We found that the diversity of macroalgal species actually peaked at around 90 meters [300 feet] deep," said Heather Spalding of the Department of Botany at the University of Hawai'i at Mānoa and a co-author of the study. "These extensive algae meadows represent a major component of the deep-reef communities, and play a fundamentally important role in the overall ecology."

Another interesting finding of the study is that the rate of endemism - species found nowhere else on Earth - increases substantially on the deep

reefs. Whereas only 17% of the fishes surveyed at depths less than 30 meters (100 meters) are species endemic to the Hawaiian Islands, more than half of the species below 70 meters (230 feet) are Hawaiian endemics. The rate of endemism increases even more in the Northwestern Hawaiian Islands, where 100% of the fishes inhabiting some of the deep reefs are found only in Hawai'i.

"The extent of fish endemism on these deep coral reefs, particularly in the Northwestern Hawaiian Islands, is astonishing," said Randall Kosaki, NOAA's Deputy Superintendent of the Papahānaumokuākea Marine National Monument and a co-author of the study. "We were able to document the highest rates of endemism of any marine environment on Earth."

The food web supporting the fishes on deep reefs was studied using advanced stable isotope methods, which revealed small but important differences in the ecology of fish living on deep and shallow reefs.

"We used these methods because more traditional approaches require large numbers of specimens," said Brian N. Popp, University of Hawai'i at Mānoa Professor of Geology and Geophysics in the School of Ocean and Earth Science and Technology. "Our results are helping us better understand the relationship between the ecology of deep and shallow coral reef fish communities."

The results of the study have important implications for conservation management. In addition to the rich and unique biodiversity inhabiting these environments, deep coral reefs may serve as a refuge for certain species that are more heavily impacted on shallow coral reefs.

"With coral reefs facing a myriad of threats," said Kimberly Puglise, an oceanographer with NOAA's National Centers for Coastal Ocean Science, "the finding of extensive reefs off Maui provides managers

with a unique opportunity to ensure that future activities in the region, such as cable laying, dredging dump sites, and deep sewer outfalls, do not irreparably damage these reefs."

The research, which spanned more than two decades and encompassed the entire 2,590-kilometer (1,600-mile) extend of the Hawaiian Archipelago, was primarily supported by NOAA's National Centers for Coastal Ocean Science, Papahānaumokuākea Marine National Monument, Coral Reef Conservation Program, Office of Ocean Exploration and Research, and the Pacific Islands Fisheries Science Center, as well as, the Hawai'i Undersea Research Laboratory and the State of Hawai'i.

More information: Richard L. Pyle et al, A comprehensive investigation of mesophotic coral ecosystems in the Hawaiian Archipelago, *PeerJ* (2016). [DOI: 10.7717/peerj.2475](https://doi.org/10.7717/peerj.2475)

Provided by PeerJ

Citation: Extensive deep coral reefs in Hawaii harbor unique species and high coral cover (2016, October 4) retrieved 2 May 2024 from <https://phys.org/news/2016-10-extensive-deep-coral-reefs-hawaii.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--