

Schmallenberg virus may reappear, warn experts

October 26 2016

Schmallenberg virus is unlikely to be circulating in the south of England, but more needs to be done to warn vets and farmers of future disease outbreaks, write experts in the journal *Veterinary Record*. They say outbreaks may occur in years to come as herd immunity decreases.

Schmallenberg is a midge-borne viral disease that was first identified among dairy cattle herds in Germany during 2011. The virus spread across Europe, including the UK, where all southern counties reported outbreaks between 2012 and 2013.

Schmallenberg causes mild clinical signs in adult cattle such as fever, diarrhoea and loss of milk production. In pregnant females, it can damage the fetus, leading to abortions, stillbirths and congenital defects.

High circulation of Schmallenberg virus between 2012 and 2013 in the UK was followed by a decline in 2014. Researchers at Liverpool wanted to know if this was a true decrease in circulation or a lack of reporting.

So the team of researchers, led by Jessica Stokes, tested 1,444 samples from 6-12 months old sheep across 131 farms in 2015. Only 5 samples were found that tested positive, but were later confirmed by an external lab as negative by 'gold standard' test.

All sampled sheep were born after October 2014 and were more than six months old to ensure animals with immunity following infection between 2012 and 2014 were excluded.

However, the researchers warn that there may be future outbreaks of Schmallenberg virus following low circulation of the virus, similar to what has been seen with [bluetongue virus](#) in France. The country was declared disease free in 2012, only for the virus to re-emerge in 2015 - most probably from wildlife.

They suggest more emphasis on surveillance of wildlife, as well as widespread trapping of midges to test large numbers of the insects, and across specific sites at high risk of possible wind transfer from Europe.

"Regardless of the current status of Schmallenberg virus in Europe, this study has highlighted a large, naive population susceptible to future potential outbreaks, within the south of England," say the researchers. "Effective surveillance systems are therefore needed to warn vets and farmers of future disease risks."

In an accompanying editorial, Nick de Regge, from the University of Ghent in Belgium, comments that the lack of significant Schmallenberg virus circulation and associated losses during the past few years means governments, veterinarians and farmers may have become less aware of this disease and might think or hope that Schmallenberg virus will disappear.

However, data for similar viruses predict otherwise, he warns. No data are currently available on the level of immunity present against Schmallenberg virus in wild populations, but it's expected that the susceptible population will increase as herd immunity decreases.

"Five years after its initial emergence, this could shape the ideal conditions for a renewed large scale re-emergence of Schmallenberg virus that would probably be followed by a new abortion storm," he warns.

"It seems advisable to closely monitor the situation via different surveillance techniques to allow timely warnings to veterinarians and farmers and to remind them to remain alert," he concludes.

More information: Jessica Eleanor Stokes et al. A freedom from disease study: Schmallenberg virus in the south of England in 2015, *Veterinary Record* (2016). [DOI: 10.1136/vr.103903](https://doi.org/10.1136/vr.103903)

Provided by British Medical Journal

Citation: Schmallenberg virus may reappear, warn experts (2016, October 26) retrieved 27 April 2024 from <https://phys.org/news/2016-10-schmallenberg-virus-reappear-experts.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--