

Coral genomes reveal how populations rebound after environmental catastrophes

November 17 2016



Orbicella annularis coral. One of three surviving members of genus Orbicella. Researchers used the newly sequenced genomes of these three species to reconstruct the population histories of these corals, showing that they could recover after environmental catastrophe and expand into new habitats. Credit: NOAA



New genome-sequence data show that Caribbean corals that have survived mass-extinction events caused by environmental change can rebound and expand their populations.

An international team of researchers, led by scientists at Penn State University, sequenced the genomes of three species of corals in the genus *Orbicella* and used the data to model the population histories of these corals over the past several million years. Despite massive reductions in the <u>coral</u> populations following the onset of glaciation in the Northern Hemisphere between 1 and 2 million years ago—an event that caused the extinction of many other Caribbean coral species—these *Orbicella* coral populations rebounded and expanded into new habitats opened by the mass-extinction event.

"Corals are extremely ecologically and economically important, so understanding how their populations responded to <u>environmental change</u> historically is crucial for current conservation efforts," said Mónica Medina, associate professor of biology at Penn State and one of the lead authors of the research. "Our study of living corals confirms fossil evidence that suggested that <u>coral populations</u> can recover after environmental disasters and further suggests that current reef deterioration can be reversed if environmental stresses can be reduced."

The international research team includes scientists from institutions the United States, Australia, Mexico, and Japan. A paper describing the research appears online November 17, 2016 in the journal, *Current Biology*.

The researchers sequenced the genomes of the three surviving Caribbean *Orbicella* species—*O. annularis, O. faveolata*, and *O. franksi*. The *Orbicella* corals have a rich fossil record that shows an increase in species diversity about 2.5 to 3.5 million years ago, followed by a massive extinction event that wiped out half of the species between 1



and 2 million years ago. All but three of the remaining species went extinct over the next million years. The team used their new genomic data to reconstruct the <u>population histories</u> of the three modern *Orbicella* species over this time period, filling in gaps in the fossil record and showing that corals can recover after environmental catastrophes.

"The wealth of genomic data allowed us to formally test hypotheses of coral population size changes, recapitulating observations from the fossil and environmental record," said Michael DeGiorgio, assistant professor of biology at Penn State and one of the lead authors of the research. "Our study is a textbook example of the power and the necessity of multidisciplinary teams of conservation, evolutionary, and computational biologists coming together to address important biological questions that would have been otherwise difficult to tackle."

The researchers also showed that the more recent extinction of another shallow-water *Orbicella* species—the organ-pipe coral, *O. nancyi*—allowed the modern <u>species</u> to expand their habitats into the territory vacated by the organ-pipe coral. Understanding these population changes in relation to environmental changes over time will allow the scientists to better analyze variation in modern corals and their potential to adapt and survive climate change.

More information: Current Biology, DOI: 10.1016/j.cub.2016.09.039

Provided by Pennsylvania State University

Citation: Coral genomes reveal how populations rebound after environmental catastrophes (2016, November 17) retrieved 17 July 2024 from <u>https://phys.org/news/2016-11-coral-genomes-reveal-populations-rebound.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.