

## New research could make ethanol production more efficient and economic

November 23 2016

New research at the Integrated Bioprocessing Research Laboratory (IBRL) on the University of Illinois Urbana-Champaign campus could significantly change ethanol production by lowering operating costs and simplifying the dry grind process.

"There are currently more than 200 dry grind plants that are processing corn to produce <u>ethanol</u>," says Vijay Singh, director of IBRL and a professor in agricultural and <u>biological engineering</u>. "The dry grind process requires two different enzymes to convert corn starch to glucose, which is further fermented to ethanol by yeast."

Singh says that process has been simplified by combined use and optimization of three new technologies. "A new corn developed by transgenic technology, known as amylase corn, produces one of these enzymes in the grain itself, and a newly engineered 'superior yeast' provides the second enzyme, as well as fermenting the glucose.

"There is a high expression level of the first enzyme,  $\alpha$ -amylase, in the new corn, so only a small amount [15 percent was tested in these studies] of this corn is required to be mixed with conventional dent corn," Singh notes. "The superior yeast provides the second enzyme, glucoamylase, and also provides an alternate metabolic pathway to reduce by-product formation during fermentation. Combined use of this corn and superior yeast can reduce the total enzyme addition by more than 80 percent."

Another approach to improve the dry grind process is to use high solids



in the plant. However, according to Singh, high solid concentrations leads to high ethanol build-up in the tank. "High ethanol affects the yeast viability and inhibits its fermentation performance, so we have added a third technology to the process. We remove the ethanol as it is being produced, using a vacuum flashing process that is patented technology from the University of Illinois. Only a couple of vacuum cycles of 1 to 1.5 hours can bring the ethanol concentration below the inhibitory levels without affecting yeast health and allow complete fermentation of <u>corn</u> solids up to 40 percent," says Singh.

Deepak Kumar, a postdoctoral research associate in agricultural and biological engineering, says because the dry grind process uses a significant amount of water, using more solid material in the slurry - 40 percent as opposed to 30-35 percent - means less water going into the process. "When ethanol is produced, it is in a very dilute solution. You have a small amount of ethanol and a large amount of water," says Kumar. "We cut down the water use by pushing high solids. When we reduce the amount of water, we also reduce the amount of energy required to remove the water."

Singh believes this new research has the potential to improve the economics and process efficiencies and simplify the dry grind process. "By developing highly optimized technologies, we will benefit the entire dry grind industry," he concludes.

Singh and Kumar received the 2016 Bioenergy Society of Singapore (BESS) Achievement Award for their work, in particular their paper "Dry-grind Processing using Amylase Corn and Superior Yeast to Reduce the Exogenous Enzyme Requirements in Bioethanol Production."

**More information:** Deepak Kumar et al. Dry-grind processing using amylase corn and superior yeast to reduce the exogenous enzyme



requirements in bioethanol production, *Biotechnology for Biofuels* (2016). DOI: 10.1186/s13068-016-0648-1

## Provided by University of Illinois at Urbana-Champaign

Citation: New research could make ethanol production more efficient and economic (2016, November 23) retrieved 1 May 2024 from <u>https://phys.org/news/2016-11-ethanol-production-efficient-economic.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.