


# The Gulfstream may strengthen with more precipitation in the far north

November 24 2016

---





The circulation in the Atlantic Ocean. In the Atlantic, water flows northward at the surface (red arrow), cools and sinks in the Nordic Seas, before flowing back south in the deep ocean (purple arrow). The surface current flowing north is the Gulf Stream and its extension into the Norwegian Sea. Credit: Ellen Viste

Using a new theory, Erwin Lambert shows that more freshwater in the Arctic may strengthen the Gulfstream's extension into the polar regions – the opposite of what has generally been anticipated with future climate change.

A new study from researchers at the Bjerknes Centre for Climate Research gives less reason to fear a weakening of the Gulfstream due to climate change. One of the suggested 'tipping points' in the climate system is a substantial slow-down or even collapse of the Gulfstream due to increased freshwater input in the northern seas. In a warmer climate, the hydrological cycle of precipitation and evaporation will strengthen including more rainfall, river runoff and ice melt in the north. One can in its most extreme imagine this literally to close the large-scale [ocean](#) circulation between the Arctic and the lower latitudes.

In the article 'How northern freshwater input can stabilise thermohaline circulation', Erwin Lambert, PhD-student at UiB and the Bjerknes Centre and the University of Bergen, studies how ocean circulation is affected by increased freshwater input. Lambert and colleagues show how increased freshwater input in the north in some cases can even strengthen the Gulfstream extension into the Arctic – just like a river in a typical Norwegian fjord is a driver for the fjord's exchange with the surrounding ocean.

In 1961, the American oceanographer Henry Stommel reduced the ocean to a few equations. With Stommel's model, the North Atlantic can be split into a warm part in the south and the cold Nordic Seas in the north – a thought experiment of two boxes, without coastlines, islands or underwater ridges. In the North Atlantic, water flows northward at the surface, before sinking to the bottom in the Nordic Seas and flowing back southward in the deep ocean. The surface current flowing north is what we think of as the Gulf Stream. Stommel's description of how water circulates between warm and cold regions like this, was entirely theoretical, and it was the Finnish oceanographer Clas Rooth who applied it to the Atlantic in 1982.



Global warming causes more precipitation in the north, with more freshwater in the Nordic Seas. The extra freshwater will mix with the salty Atlantic water entering from the south, and as it gets less salty, it gets lighter. As a result, there will be less sinking, and this can contribute to reducing the Gulf Stream. Credit: University of Bergen


Stommel's model is simple. It does not represent all factors in the real world, but still made it possible to answer a big question. You can neglect the wind, and there will be circulation in the North Atlantic. As long as water sinks in the north, the Gulf Stream will continue to flow north.

"The beauty of such a model is that we can understand the full behavior of its circulation," says Erwin Lambert.

Lambert is a PhD candidate at the Geophysical Institute at the University of Bergen and the Bjerknes Centre, and works with a box model that builds on Stommel's model. He remarks that both theoretical models,

like his, and the large and more detailed circulation models used for weather forecasting and climate projections, only represent the real world to a limited extent.

"The benefit of a theoretical model is that we know, and actually choose, what these limitations will be."




When more precipitation increases the flow of freshwater out of the Arctic Ocean, more water will also have to flow in from the south to replace water that is driven out. This may increase the circulation in the Atlantic Ocean. Credit: University of Bergen

Simple models make it easier to pin-point the effect of changes. Like Stommel, Lambert can choose to let the water in the north be less salty and calculate how the ocean current will react to more freshwater in the Nordic Seas. A fresher north is exactly what is expected with global warming.

In a warmer world, there will be more rain and snow in the northern regions, meltwater from glaciers and sea ice will pour into the ocean, and together this will make the water in the Nordic Seas less salty. The salty Atlantic water that flows in from the south will mix with water that is fresher than it used to, and the mix will be less dense. As a result, water entering the Nordic Seas will not sink as efficiently as it has done in the past. According to Stommel's model, this would reduce the circulation in the Atlantic Ocean. This is the background for theories that global warming may weaken the Gulf Stream.

Two thirds of the water that enters the Nordic Seas flow back south in the deep ocean. The remaining one third continues on the north-bound route and enters the Arctic Ocean. This water is not included in Stommel's model, and when calculating the effect of [climate change](#), it must be. The old model consists of one box for the southern part of the North Atlantic and one for the Nordic Seas.

By adding a third box, the Arctic Ocean, the circulation in the Atlantic Ocean is stabilized. When you include the effect of more freshwater in the Arctic Ocean, the current will be less reduced than in Stommel's model with only two boxes. This makes Erwin Lambert think that increasing precipitation in the north may be less important for the circulation in the Atlantic than previously believed.



Freshwater from precipitation and run-off to the Arctic Ocean flows south near the surface along the east coast of Greenland, through the Nordic Seas and into the Atlantic Ocean (blue arrow). This current also drags some of the water below with it, and more water must flow in from the Atlantic to regain the balance (purple arrow). The flow of freshwater out of the Arctic Ocean thus enhances the circulation in the Atlantic Ocean. Credit: University of Bergen

He admits that it's still an open question of how well such simple box models represent reality. For example, wind – which the Stommel model does not consider – is a vital driver of the Gulf Stream near the surface. But Lambert maintains that simple models still make it possible to study major processes in the ocean.

"It's amazing how much knowledge can be gained from a [model](#) that consists of merely five equations."

**More information:** Erwin Lambert et al. How northern freshwater input can stabilise thermohaline circulation, *Tellus A* (2016). [DOI](#):

[10.3402/tellusa.v68.31051](https://doi.org/10.3402/tellusa.v68.31051)

Provided by University of Bergen

Citation: The Gulfstream may strengthen with more precipitation in the far north (2016, November 24) retrieved 25 April 2024 from <https://phys.org/news/2016-11-gulfstream-precipitation-north.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.