

Why do seabirds eat plastic? The answer stinks

November 9 2016



Some species of seabirds, including blue petrels, are particularly vulnerable to eating plastic debris at sea. Credit: J.J. Harrison

If it smells like food, and looks like food, it must be food, right?


Not in the case of ocean-faring birds that are sometimes found with bellies full of [plastic](#). But very little research examines why birds make the mistake of eating plastic in the first place.

It turns out that marine plastic debris emits the scent of a sulfurous compound that some seabirds have relied upon for thousands of years to tell them where to find [food](#), according to a study from the University of California, Davis. This olfactory cue essentially tricks the birds into confusing marine plastic with food.

The study, published Nov. 9 in the journal *Science Advances*, helps explain why plastic ingestion is more prevalent in some seabird species than in others. Tubenosed seabirds, such as petrels and albatross, have a keen sense of smell, which they use to hunt. They are also among the birds most severely affected by plastic consumption.

The Birds' Point of View

"It's important to consider the organism's point of view in questions like this," said lead author Matthew Savoca, who performed the study as a graduate student in the lab of UC Davis professor Gabrielle Nevitt and who is with the Graduate Group in Ecology. "Animals usually have a reason for the decisions they make. If we want to truly understand why animals are eating plastic in the ocean, we have to think about how animals find food."



UC Davis graduate student Matthew Savoca deploys mesh bags of experimental plastic debris at a buoy in Monterey Bay, California. Credit: Courtesy Matthew Savoca/UC Davis

The study could also open the door to new strategies that address the ocean's plastic problem, which plagues not only seabirds, but also fish, sea turtles and other marine life.

The Flavor Profile of Trash

To learn exactly what marine plastic debris smells like, the scientists put

beads made of the three most common types of [plastic debris](#)—high-density polyethylene, low-density polyethylene, and polypropylene—into the ocean at Monterey Bay and Bodega Bay, off the California coast.

Taking care not to add to the marine plastic problem, the scientists placed the beads inside specially sewn mesh bags and tied them to an ocean buoy before collecting them about three weeks later.

They brought the retrieved plastic to a somewhat unusual resource for marine ecologists—the UC Davis Robert Mondavi Institute for Wine and Food Science, where researchers are more often found analyzing wine flavor chemistry than smelly trash.



Many seabirds, like this Tristram's storm-petrel, mistake tiny plastic particles for food, and the effects can be fatal. Credit: Sarah Youngren

Using food-and-wine chemist Susan Ebeler's chemical analyzer, the team confirmed that, sure enough, the plastic reeked of the sulfur compound dimethyl sulfide, or DMS, a chemical cue released by algae, which coats floating plastic.

Co-author Nevitt, with the UC Davis Department of Neurobiology, Physiology and Behavior, had previously established that DMS is a scent that triggers tubenosed seabirds to forage. DMS is released when algae is eaten by animals like krill, one of the birds' favorite meals. So while the algae does not smell like food itself, it does smell like food being eaten, which is the birds' version of a dinner bell.

The study noted that seabirds that track the scent of DMS to find prey are nearly six times more likely to eat plastic than those that do not.

Overlooked Species Eating Plastic

"This study shows that species that don't receive lot of attention, like petrels and some species of shearwaters, are likely to be impacted by plastic ingestion," Nevitt said. "These species nest in underground burrows, which are hard to study, so they are often overlooked. Yet, based on their foraging strategy, this study shows they're actually consuming a lot of plastic and are particularly vulnerable to marine debris."

More information: "Marine plastic debris emits a keystone

infochemical for olfactory foraging seabirds," *Science Advances*,
advances.sciencemag.org/content/2/11/e1600395

Provided by UC Davis

Citation: Why do seabirds eat plastic? The answer stinks (2016, November 9) retrieved 24 June 2024 from <https://phys.org/news/2016-11-seabirds-plastic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.