

Soil could become a significant source of carbon dioxide, experts warn

November 3 2016



Credit: Mick Lissone/public domain

If people continue using and changing the land over the next century in



the same way they currently do, soils will have limited potential to counter the effect of climate change and will become a net source of atmospheric carbon dioxide, experts have warned.

Experts have forecast that a quarter of the carbon found in soil in France could be lost to the atmosphere during the next 100 years. This could lead to soil becoming a net source of <u>carbon dioxide</u> to the atmosphere. At present soil is considered to absorb carbon dioxide and this partially counters the impact of man-made climate change.

The pace and nature of predicted changes in climate over the next century will make the soil less able to store carbon, while business-asusual land use change has limited capacity to counteract this trend, experts from the University of Exeter, INRA and CERFACS in France and University of Leuven in Belgium say in the journal *Scientific Reports*.

If, as predicted, soils lose a significant amount of their carbon this will endanger their ability to produce food and store water and this could lead to increased soil erosion and flood damage.

Researchers made these predictions for the 21st century by combining models of soil carbon and land use change with climate change predictions, using France as a case study. The study shows that land under almost all uses will be subject to dramatic losses of soil carbon by 2100. Only conversions of land into grass or forest result in limited additional storage of carbon in soils. Unfortunately these land changes are not likely to happen on a large scale because of the pressures on land resources imposed by urban expansion and food production.

Lead author Dr Jeroen Meersmans, from the University of Exeter, said: "A reduction in anthropogenic CO2 levels is crucial to prevent further loss of carbon from our soils. However, promotion of land use changes



and management that contribute to <u>soil carbon</u> sequestration remains essential in an integrated strategy to protect soil functions and mitigate climate change."

Co-author Dr Dominique Arrouays of the French National Institute for Agricultural Research added, "Purposive, targeted land use and agricultural practice changes would be needed if <u>climate change</u> mitigation is to be maximized. Therefore, the efforts to enhance <u>carbon</u> <u>sequestration</u> in soils, as proposed by France during the COP21, should be promoted immediately."

The research collaboration involved academics from the Geography Department at the College of Life and Environmental Sciences at the University of Exeter (UK), the InfoSol Unit at INRA in Orleans (France), CECI, CERFACS - CNRS in Toulouse (France), the Geography and Tourism Research Group at the Department of Earth and Environmental Sciences at the University of Leuven (Belgium).

More information: Jeroen Meersmans et al. Future C loss in midlatitude mineral soils: climate change exceeds land use mitigation potential in France, *Scientific Reports* (2016). <u>DOI: 10.1038/srep35798</u>

Provided by University of Exeter

Citation: Soil could become a significant source of carbon dioxide, experts warn (2016, November 3) retrieved 2 May 2024 from <u>https://phys.org/news/2016-11-soil-significant-source-carbon-dioxide.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.