


## Supersonic spray yields new nanomaterial for bendable, wearable electronics

November 22 2016, by Bill Burton



Left, photograph of a large-scale silver nanowire-coated flexible film. Right, silver nanowire particles viewed under the microscope. Credit: S.K. Yoon, Korea University



A new, ultrathin film that is both transparent and highly conductive to electric current has been produced by a cheap and simple method devised by an international team of nanomaterials researchers from the University of Illinois at Chicago and Korea University.

The film is also bendable and stretchable, offering potential applications in roll-up touchscreen displays, wearable electronics, <u>flexible solar cells</u> and electronic skin. The results are reported in *Advanced Functional Materials*.

The new film is made of fused silver nanowires, and is produced by spraying the nanowire particles through a tiny jet nozzle at <u>supersonic</u> <u>speed</u>. The result is a film with nearly the electrical conductivity of silver-plate—and the transparency of glass, says senior author Alexander Yarin, UIC Distinguished Professor of Mechanical Engineering.

"The silver nanowire is a particle, but very long and thin," Yarin said. The nanowires measure about 20 microns long, so four laid end-to-end would span the width of a human hair. But their diameter is a thousand times smaller—and significantly smaller than the wavelength of visible light, which minimizes light scattering.

The researchers suspended the nanowire particles in water and propelled them by air through a de Laval nozzle, which has the same geometry as a jet engine, but is only a few millimeters in diameter.

"The liquid needs to be atomized so it evaporates in flight," Yarin said. When the nanowires strike the surface they are being applied to at supersonic speed, they fuse together, as their kinetic energy is converted to heat.

"The ideal speed is 400 meters per second," Yarin said. "If the energy is too high, say 600 meters per second, it cuts the wires. If too low, as at



200 meters per second, there's not enough heat to fuse the wires."

The researchers applied the nanowires to flexible plastic films and to three-dimensional objects. "The surface shape doesn't matter," Yarin said.

The transparent flexible film can be bent repeatedly and stretched to seven times its original length and still work, said Sam Yoon, the corresponding author of the study and a professor of <u>mechanical</u> <u>engineering</u> at Korea University.

Earlier this year, Yarin and Yoon and their colleagues produced a transparent conducting film by electroplating a mat of tangled nanofiber with copper. Compared to that film, the self-fused <u>silver nanowire</u> film offers better scalability and production rate, Yoon said.

"It should be easier and cheaper to fabricate, as it's a one-step versus a two-step process," said Yarin. "You can do it roll-to-roll on an industrial line, continuously."

**More information:** Jong-Gun Lee et al, Production of Flexible Transparent Conducting Films of Self-Fused Nanowires via One-Step Supersonic Spraying, *Advanced Functional Materials* (2016). <u>DOI:</u> <u>10.1002/adfm.201602548</u>

## Provided by University of Illinois at Chicago

Citation: Supersonic spray yields new nanomaterial for bendable, wearable electronics (2016, November 22) retrieved 2 May 2024 from <u>https://phys.org/news/2016-11-supersonic-yields-nanomaterial-bendable-wearable.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.