

Novel genetic tools for bioassessment of European aquatic ecosystems, COST grant proposal

December 5 2016



Comparison of traditional and DNA-based methods for ecosystem assessment. The traditional methods for ecosystem assessments are based on species lists obtained via morpho-taxonomy (red arrows). DNA-based approaches can utilize the same organisms but rather use these for a "bulk" DNA extraction and subsequent metabarcoding, or they can utilize DNA obtained from a water



sample ("eDNA"). The novel DNA-based approaches are highlighted with green arrows. Credit: Vasco Elbrecht and Florian Leese

Often referred to as "the blue planet", the majority of the Earth consists of aquatic ecosystems. Human land-use change, over-exploitation and pollution have severely impacted aquatic ecosystems over the past decades.

In order to protect and maintain central ecosystem services obtained from aquatic ecosystems, such as clean water and food, conservation actions have been proposed in order to protect and preserve our planet's water ecosystems. Bioassessments and continuous monitoring are the central tools to evaluate the success of conservation management actions. However they are not efficient enough at the moment.

The DNAqua-Net project, funded under the European framework <u>COST</u>, is set to gather a large international professional community from across disciplines and fields in order to develop best practice strategies for using novel genetic tools in real-world bioassessment and monitoring of <u>aquatic ecosystems</u> in Europe and beyond. The grant proposal, authored by a large international team, is published in the open access journal *Research Ideas and Outcomes* (RIO).

Currently, biodiversity assessment relies on morpho-taxonomy, meaning species are identified based on studying the morphology of collected and manually sorted specimens. However, this approach is largely flawed due to being time-consuming, limited in temporal and spatial resolution, and dependent on the varying individual taxonomic expertise of the analysts.







Overview of the structure of DNAqua-Net and interplay between the five Working Groups and the Management Committee. Credit: DNAqua-Net



In contrast, novel genomic tools, meant to be researched and developed over the course of DNAqua-Net, offer new solutions. They rely on DNA barcoding to identify species, even those undescribed yet, and assess biodiversity of <u>water ecosystems</u> using standardised genetic markers.

DNA barcoding is a modern taxonomic tool, which uses short standardised gene fragments of organisms allowing an unequivocal assignment to species level based on sequence data. Standardised DNAbarcode libraries, generated by the international <u>Barcode of Life project</u> (iBOL), and its associated and validated databases, such as <u>BOLD</u> and <u>R-Syst</u> provide reference data, which make it possible to analyse multiple environmental samples within a few days.

So far, a major problem in developing and adopting genomic tools has been that scientists have been working independently in different institutions rather unconnected from end-users. However, the DNAqua-Net team's aim is to establish a cross-discipline, international network of scientists, managers, governmental institutions, manufacturers, and emerging service providers. Together, they would be able to identify the challenges in DNA-based bioassessment and provide standardised bestpractice solutions.

Furthermore, as technological progress continues, DNA does not have to be necessarily extracted from tissue, but can also be collected from sediments, biofilms, or the water itself. Also called 'environmental DNA' (eDNA), it can provide information on much more than a number of specifically targeted species. Instead, it could deliver data on the entire biodiversity of micro-, meio- and macro-organisms living in an aquatic environment. While being far less invasive than traditional sampling techniques, the combined eDNA metabarcoding approach could also detect alien species and thus, act as an early warning for management.

"Novel DNA-based approaches currently emerge, possibly acting as a



"game-changer" in environmental diagnostics and bioassessments by providing high-resolution pictures of biodiversity from micro to macro scales," comment the authors.

More information: Florian Leese et al, DNAqua-Net: Developing new genetic tools for bioassessment and monitoring of aquatic ecosystems in Europe, *Research Ideas and Outcomes* (2016). DOI: 10.3897/rio.2.e11321

Provided by Pensoft Publishers

Citation: Novel genetic tools for bioassessment of European aquatic ecosystems, COST grant proposal (2016, December 5) retrieved 3 May 2024 from <u>https://phys.org/news/2016-12-genetic-tools-bioassessment-european-aquatic.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.