

Researchers use light to design defined molecule chains

December 15 2016



Credit: Karlsruhe Institute of Technology

Chemists of Karlsruhe Institute of Technology (KIT) have succeeded in specifically controlling the setup of precision polymers by light-induced chemical reactions. The new method allows for the precise, planned arrangement of the chain links, i.e. monomers, along polymer chains of standard length. The precisely structured macromolecules develop defined properties and may possibly be suited for use as storage systems



of information or synthetic biomolecules. This novel synthesis reaction is now reported in open-access *Nature Communications*.

Chemical reactions may be triggered by light at room temperature. This effect was used by KIT scientists to specifically link molecules to defined polymer chains under light. "In many conventional processes, polymer chains of variable length are produced. The <u>building blocks</u> are arranged randomly along the chain," says Professor Christopher Barner-Kowollik of the KIT Institute for Chemical Technology and Polymer Chemistry (ITCP). "We wanted to develop a light-induced <u>method</u> for polymer structuring, which reaches the precision of nature," the Holder of the Chair for Preparative Macromolecular Chemistry adds. The models in nature, e.g. proteins, have an exactly defined structure. The new, light-induced synthesis method allows for customized molecule design, with the building blocks being arranged at the positions desired similar to a string of colored pearls.

"By controlling the structure of the molecule, the so-called sequence, properties of macromolecules can be controlled," Barner-Kowollik says. "Sequence-defined polymers might also be used as molecular data and information <u>storage systems</u>." Information might be encoded by the sequence of monomers, similar to the genetic information of the DNA.





Cusotmized macromolecules having defined functions are in the focus of the Collaborative Research Center 1176. Credit: SFB 1176 / KIT

The team of Barner-Kowollik now presents the new light-induced and highly precise polymerization method in *Nature Communications* under the heading of "Coding and Decoding Libraries of Sequence Defined Functional Copolymers Synthesized via Photoligation." The developers expect the fundamental method to become a tool for chemists, biologists, and materials scientists and to be the key to future macromolecular chemistry.

The new method was developed under the Collaborative Research Center 1176 "Molecular Structuring of Soft Matter" which is funded by the German Research Foundation (DFG) and coordinated by KIT. For the first four years, a budget of EUR 9 million is available to the Collaborative Research Center that started in January 2016.

More information: Nicolas Zydziak et al. Coding and decoding libraries of sequence-defined functional copolymers synthesized via photoligation, *Nature Communications* (2016). DOI: 10.1038/NCOMMS13672

Provided by Karlsruhe Institute of Technology

Citation: Researchers use light to design defined molecule chains (2016, December 15) retrieved 27 April 2024 from <u>https://phys.org/news/2016-12-molecule-chains.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.