

Study of olivine provides new data set for understanding plate tectonics

December 14 2016, by Karen B. Roberts



To learn more about plate tectonics, geologists study the outer layer of the earth's surface. Here, University of Delaware researcher Jessica Warren measures the distance between rock samples collected from a peridotite shear zone. Warren and her colleagues performed laboratory experiments on olivine, the main mineral found in the Earth's mantle (the upper ~250 miles of the planet). Olivine also is the main mineral in peridotite rock, which is considered to be a robust model of the interior of the Earth's composition. Credit: University Of Delaware

Plate tectonics, the idea that the surface of the Earth is made up of plates that move apart and come back together, has been used to explain the locations of volcanoes and earthquakes since the 1960s.

One well-known example of this is the Pacific Ring of Fire, a 25,000-mile stretch of the Pacific Ocean known for its string of underwater volcanoes (nearly 450 of them) and earthquake sites, according to the National Oceanic and Atmospheric Administration (NOAA).

On the Pacific Coast, this area sits along the subduction zone known as the Cascadia plate, which runs down the west coast of Canada to the [west coast](#) of the United States. Most earthquakes are said to occur at [subduction zones](#) or along faults in tectonic plates.

What actually defines a tectonic plate and how thick plates are, however, has remained a hotly debated topic. This is because while scientists know that the top of the plate is the surface of the Earth, defining the plate's bottom boundary has been challenging.

A recent study by the University of Delaware's Jessica Warren and colleagues at the University of Oxford and the University of Minnesota, Twin Cities, provides a new data set that scientists can use to understand this problem.

"Understanding the thickness of the plate is important to understanding how plates move around, both when they form at [mid-ocean ridges](#) and later on when the material goes back down into the Earth through subduction zones such as those in Cascadia, the Andes, Japan and Indonesia," said Warren, assistant professor in the Department of Geological Sciences in the College of Earth, Ocean, and Environment.

"It also can help scientists model and predict future earthquake and

volcanic hazards, where they might occur and how deep the devastation might be depending on what the models show."

Olivine a robust model of Earth's interior

To understand what's happening inside the Earth, scientists must be creative because studying the interior of the Earth in situ is impossible.

Instead, scientists study how seismic waves pass through the Earth and then invert the signal that is received to reverse engineer what's happening. They also model the thermal properties of the rock, including where [temperature changes](#) occur, because they know that the interior of the Earth is hotter than the surface crust.

"Science has been telling us that what we predict for temperature changes within the Earth should agree with what the seismic waves are telling us. The problem has been that these two models don't agree," said Warren, a petrology expert who studies the origin of rocks and how they formed.

One longstanding argument has been whether the Gutenberg discontinuity—the identification of a change in seismic properties—represents the bottom of the plate.

To investigate this problem, Warren and her colleagues performed laboratory experiments on olivine, the main mineral found in the Earth's mantle (the upper ~250 miles of the planet). Olivine also is the main mineral in peridotite rock, which is considered to be a [robust model](#) of the interior of the Earth's composition.

The researchers took olivine and added melt (also known as basalt) to mimic how a new plate is created at a mid-ocean ridge. The team then twisted the olivine-melt mixture under high temperatures and high

pressure to determine the influence of melt on the alignment of olivine crystals. They then used these experiments to predict the seismic signature of this rock and compared it to the seismic signature associated with the Gutenberg discontinuity.

The team's results showed that the Gutenberg discontinuity does not define the bottom of the plate, but instead is caused by the presence of olivine-melt mixtures within tectonic plates.

"I've spent over a decade studying how olivine minerals are oriented in peridotite rocks because the flow patterns provide a historical record of how these rocks from the mantle have changed and deformed over time," says Warren.

The research team's results suggest the best way to model the plate thickness is based on the thermal profile and the conductive cooling that occurs as a plate ages.

"We think that the bottom of the plate is below where you have a cooling in the temperature profile. It is a layer that is associated with melt being trapped or frozen in the rock and changing the seismic properties in the rock that subsequently produced the layer that we're imaging," she said. "By our estimates, this would mean that the [tectonic plates](#) in the ocean are approximately 100 kilometers or about 62 miles thick. "

The team's data also offers an explanation for the Guttenberg discontinuity, Warren continued, saying that it corresponds to melt that was trapped or frozen in the rock after melting at mid-ocean ridges, which produced a change in how the seismic waves pass through the rock.

This study was recently reported in the *Proceedings of the National Academy of Sciences*.

More information: Lars N. Hansen et al, Olivine anisotropy suggests Gutenberg discontinuity is not the base of the lithosphere, *Proceedings of the National Academy of Sciences* (2016). [DOI: 10.1073/pnas.1608269113](https://doi.org/10.1073/pnas.1608269113)

Provided by University of Delaware

Citation: Study of olivine provides new data set for understanding plate tectonics (2016, December 14) retrieved 2 May 2024 from <https://phys.org/news/2016-12-olivine-plate-tectonics.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--