

New study of water-saving plants advances efforts to develop drought-resistant crops

December 5 2016



Bredesen Center student Kaitlin Palla studies agave plants in Oak Ridge National Laboratory's greenhouse as part of the lab's research into a water efficient mode of photosynthesis called crassulacean acid metabolism, or CAM. Credit: Jason Richards/Oak Ridge National Laboratory




As part of an effort to develop drought-resistant food and bioenergy crops, scientists at the Department of Energy's Oak Ridge National Laboratory have uncovered the genetic and metabolic mechanisms that allow certain plants to conserve water and thrive in semi-arid climates.

Semi-arid plants such as agave have adapted to survive in areas with little rainfall by developing a specialized mode of photosynthesis called crassulacean acid metabolism, or CAM. Unlike plants in wetter environments, CAM plants absorb and store <u>carbon dioxide</u> through open pores in their leaves at night, when water is less likely to evaporate. During the day, the pores, also called stomata, stay closed while the plant uses sunlight to convert carbon dioxide into energy, minimizing water loss.

ORNL scientists are studying the unique metabolic mechanisms that allow CAM plants to conserve water, with the goal of introducing watersaving traits into bioenergy and <u>food crops</u>. The results of the team's latest study, which focuses on agave, are published in *Nature Plants* as the journal's cover story.

The CAM photosynthetic process, discovered in the 1950s, has largely remained a scientific curiosity, but researchers are now examining it as a potential solution to maintaining food and bioenergy crop yields during water shortages and drought.







Oak Ridge National Laboratory scientists have further uncovered the genetic and metabolic mechanisms that allow certain plants to conserve water and thrive in semi-arid climates. Credit: Katie Palla/Oak Ridge National Laboratory

"Today's demand on agricultural systems to provide food, feed, forage, fiber and fuel call for more comprehensive research into understanding the complexities of CAM plants," said ORNL coauthor Xiaohan Yang. "As we uncover each layer of the CAM process, our studies aim to speed up the evolution of crops to give them the ability to thrive in more arid environments as the availability of freshwater becomes limited."

To gain a comprehensive view of the complex CAM system, the team used ORNL's mass spectrometry to compare the molecular traits of agave with a control plant, *Arabidopsis*, which uses a more common photosynthetic process.

The team evaluated genetic behavior that signals stomatal movement in each plant over the same 24-hour period. Their study revealed that the timing of daytime versus nighttime stomatal activity varied significantly between agave and *Arabidopsis*. The research also pinpointed which genetic and metabolic mechanisms signal CAM plants to open and close their stomata. Understanding the timing of these signals will be key to transferring CAM processes into crops such as rice, corn, poplar and switchgrass.

"Further research is required to understand how this molecular timekeeping regulates CAM, but the results of this study provide new insights into the complexity of CAM biodesign, featuring an integrative understanding of CAM at the molecular level," Gerald Tuskan, ORNL



Corporate Fellow and coauthor, said. "The transfer of CAM molecular machinery into energy crops would facilitate their deployment onto marginal lands and would simultaneously reduce competition with food crops."

More information: Paul E. Abraham et al, Transcript, protein and metabolite temporal dynamics in the CAM plant Agave, *Nature Plants* (2016). DOI: 10.1038/nplants.2016.178

Provided by Oak Ridge National Laboratory

Citation: New study of water-saving plants advances efforts to develop drought-resistant crops (2016, December 5) retrieved 9 April 2024 from https://phys.org/news/2016-12-water-saving-advances-efforts-drought-resistant-crops.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.