


Researchers use world's smallest diamonds to make wires three atoms wide (Update)

December 26 2016



This animation shows molecular building blocks joining the tip of a growing nanowire. Each block consists of a diamondoid -- the smallest possible bit of diamond -- attached to sulfur and copper atoms (yellow and brown spheres). Like LEGO blocks, they only fit together in certain ways that are determined by their size and shape. The copper and sulfur atoms form a conductive wire in the middle, and the diamondoids form an insulating outer shell. Credit: SLAC National Accelerator Laboratory

Scientists at Stanford University and the Department of Energy's SLAC National Accelerator Laboratory have discovered a way to use diamondoids - the smallest possible bits of diamond - to assemble atoms into the thinnest possible electrical wires, just three atoms wide.

By grabbing various types of atoms and putting them together LEGO-style, the new technique could potentially be used to build tiny wires for a wide range of applications, including fabrics that generate electricity, optoelectronic devices that employ both electricity and light, and superconducting materials that conduct electricity without any loss. The scientists reported their results today in *Nature Materials*.


"What we have shown here is that we can make tiny, conductive wires of the smallest possible size that essentially assemble themselves," said Hao Yan, a Stanford postdoctoral researcher and lead author of the paper.

"The process is a simple, one-pot synthesis. You dump the ingredients together and you can get results in half an hour. It's almost as if the [diamondoids](#) know where they want to go."

The Smaller the Better

Although there are other ways to get materials to self-assemble, this is the first one shown to make a nanowire with a solid, crystalline core that has good [electronic properties](#), said study co-author Nicholas Melosh, an associate professor at SLAC and Stanford and investigator with SIMES, the Stanford Institute for Materials and Energy Sciences at SLAC.

The needle-like wires have a semiconducting core - a combination of copper and sulfur known as a chalcogenide - surrounded by the attached diamondoids, which form an insulating shell.



Fuzzy white clusters of nanowires on a lab bench, with a penny for scale. Assembled with the help of diamondoids, the microscopic nanowires can be seen with the naked eye because the strong mutual attraction between their diamondoid shells makes them clump together, in this case by the millions. At top right, an image made with a scanning electron microscope shows nanowire clusters magnified 10,000 times. Credit: SEM image by Hao Yan/SIMES; photo by SLAC National Accelerator Laboratory

Their minuscule size is important, Melosh said, because a material that exists in just one or two dimensions - as atomic-scale dots, wires or sheets - can have very different, extraordinary properties compared to the same material made in bulk. The new method allows researchers to assemble those materials with atom-by-atom precision and control.

The diamondoids they used as assembly tools are tiny, interlocking cages


of carbon and hydrogen. Found naturally in petroleum fluids, they are extracted and separated by size and geometry in a SLAC laboratory. Over the past decade, a SIMES research program led by Melosh and SLAC/Stanford Professor Zhi-Xun Shen has found a number of potential uses for the little diamonds, including improving electron microscope images and making tiny electronic gadgets.

Constructive Attraction

For this study, the research team took advantage of the fact that diamondoids are strongly attracted to each other, through what are known as van der Waals forces. (This attraction is what makes the microscopic diamondoids clump together into sugar-like crystals, which is the only reason you can see them with the naked eye.)

They started with the smallest possible diamondoids - single cages that contain just 10 carbon atoms - and attached a sulfur atom to each. Floating in a solution, each sulfur atom bonded with a single copper ion. This created the basic nanowire building block.

The building blocks then drifted toward each other, drawn by the van der Waals attraction between the diamondoids, and attached to the growing tip of the nanowire.



An illustration shows a hexagonal cluster of seven nanowires assembled by diamondoids. Each wire has an electrically conductive core made of copper and sulfur atoms (brown and yellow spheres) surrounded by an insulating diamondoid shell. The natural attraction between diamondoids drives the assembly process. Credit: H. Yan et al., Nature Materials

"Much like LEGO blocks, they only fit together in certain ways that are determined by their size and shape," said Stanford graduate student Fei Hua Li, who played a critical role in synthesizing the tiny wires and figuring out how they grew. "The copper and sulfur atoms of each building block wound up in the middle, forming the conductive core of the wire, and the bulkier diamondoids wound up on the outside, forming the insulating shell."

A Versatile Toolkit for Creating Novel Materials

The team has already used diamondoids to make one-dimensional

nanowires based on cadmium, zinc, iron and silver, including some that grew long enough to see without a microscope, and they have experimented with carrying out the reactions in different solvents and with other types of rigid, cage-like molecules, such as carboranes.

The cadmium-based wires are similar to materials used in optoelectronics, such as light-emitting diodes (LEDs), and the zinc-based ones are like those used in solar applications and in piezoelectric energy generators, which convert motion into electricity.

"You can imagine weaving those into fabrics to generate energy," Melosh said. "This method gives us a versatile toolkit where we can tinker with a number of ingredients and experimental conditions to create new materials with finely tuned electronic properties and interesting physics."

Theorists led by SIMES Director Thomas Devereaux modeled and predicted the electronic properties of the nanowires, which were examined with X-rays at SLAC's Stanford Synchrotron Radiation Lightsource, a DOE Office of Science User Facility, to determine their structure and other characteristics.

More information: Hybrid metal-organic chalcogenide nanowires with electrically conductive inorganic core through diamondoid-directed assembly, *Nature Materials*, [nature.com/articles/doi:10.1038/nmat4823](https://doi.org/10.1038/nmat4823)

Provided by SLAC National Accelerator Laboratory

Citation: Researchers use world's smallest diamonds to make wires three atoms wide (Update) (2016, December 26) retrieved 29 June 2024 from <https://phys.org/news/2016-12-world-smallest-diamonds-wires-atoms.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.