


A chain reaction to spare the air

January 27 2017, by Wallace Ravven



Jeffrey Long and graduate student Kristen Colwell will use a custom-built device to analyze CO₂ uptake from a simulated flue gas. More than two dozen samples can be analyzed at a time. Credit: Peg Skorpinski.

Twelve billion tons of carbon dioxide spew into the air every year from power plants burning coal, oil and natural gas around the world. And energy demand only keeps growing.

The need to generate more electrical power can lead in two directions, and both exact huge costs. Power plants can continue to release high levels of the greenhouse gas, or they can adopt "carbon capture" technologies to trap and sequester some of the CO₂ from emissions—but at great expense.

Hundreds—perhaps thousands—of university and commercial research centers test new materials and novel engineering schemes to more efficiently snare CO₂ before it goes up the power plant flue.

Last year, in the high-profile journal *Nature*, Jeffrey Long, professor of chemistry and of chemical and biomolecular engineering, reported devising a new material that can capture and release CO₂ at a lower temperature and in a much greater volume than present-day technologies.


Built up to scale for use in a power plant, this would divert 95 percent of CO₂ pollution from streaming out of power plant flues, and at the same time save as much as 50 percent on energy costs to do so.

As in the few [power plants](#) where carbon capture is currently being tested, carbon dioxide diverted from emissions would then be injected underground—sequestered—or stored and sold for industrial uses.

This year, with support from the Bakar Fellows Program, Jeffrey's lab has begun work to efficiently synthesize the new material at a large scale, to render it into a practical pellet form and confirm its greatly increased CO₂ capture performance under realistic flue gas conditions.

"Unfortunately, we need to be doing CO₂ capture now. It has become a really scary problem," Long says.

Current technologies capture CO₂ in a liquid containing amines—organic molecules made up of nitrogen atoms that strongly attract the CO₂ molecules. Long's team chose to mimic this basic structure, but in a solid powder form since it takes far less heat to release gases from a porous solid than a liquid.



Postdoc Alex Forse works with Jeffrey Long to test the effectiveness of the new compound designed to boost the capture of waste CO₂, and at relatively low

temperatures to save energy. Credit: Peg Skorpinski

They tweaked the composition to create a new molecular configuration that prompts a burst of CO₂ uptake and release, accounting for the much greater yield. At certain temperatures, CO₂ molecules fly off, one after the other, each molecule's departure triggering a chemical change in the structure that releases the next CO₂ molecule in a [chain reaction](#) that Long calls cooperative adsorption.

The arrangement of the atoms in the material naturally forms a pore in the center. Adjacent CO₂ molecules stick to the pore wall and link up to create

a continuous chain running along the edges of the tunnel-like pores. This enables the CO₂ to make a quick exit when it is released—potentially into storage instead of up the flue.

The two unique traits capture and then release CO₂ with significantly less heat.

"It's a long way from basic research to full commercial application," Long says. "Full-blown power plants are almost incomprehensibly big. But I would say that our material is the first example of this cooperative adsorption. No one had seen this before."

Long reported the preliminary results of the research in 2012, and two years later he launched a company, Mosaic Materials with two former graduate students to take the first steps along the long road to commercializing the technology, an effort now gaining momentum with support from the Bakar Fellows Program.

Producing the remarkable properties of the new white powdered material was really serendipitous, he says. "We wanted to make a solid adsorbent instead of the conventional liquid, since a solid can do the job with less heat input. We came up with the modifications of the typical composition, and it just happened that the spacing was right for this chain reaction effect."

Thomas McDonald, then a graduate student in Long's lab and now Mosaic Material's CEO, made the discovery and went on to figure out the chain reaction mechanism. Since developing the new material to full commercial scale is so demanding, the team is taking it one step at a time. The Navy supports some of Mosaic's current work. The military is looking for a better way to scrub out high levels of exhaled CO₂ in submarines.

Devising a new material with properties even greater than expected is a thrill, Long says, but he values the real-world bonus.

"I'm interested in trying to do something with our science that could actually help the planet. It helps that this possibility really fires up some of the very bright students, who come to Berkeley to do Ph.D. research."

Provided by University of California - Berkeley

Citation: A chain reaction to spare the air (2017, January 27) retrieved 20 April 2024 from <https://phys.org/news/2017-01-chain-reaction-air.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.