

## Germanium's semiconducting and optical properties probed under pressure

January 3 2017



Illustration of ST12-germanium's complex tetragonal structure with tetrahedral bonding, courtesy of Haidong Zhang. Credit: Haidong Zhang



Germanium may not be a household name like silicon, its group-mate on the periodic table, but it has great potential for use in next-generation electronics and energy technology.

Of particular interest are forms of germanium that can be synthesized in the lab under extreme pressure conditions. However, one of the mostpromising forms of germanium for practical applications, called ST12, has only been created in tiny sample sizes—too small to definitively confirm its properties.

"Attempts to experimentally or theoretically pin down ST12-germanium's characteristics produced extremely varied results, especially in terms of its electrical conductivity," said Carnegie's Zhisheng Zhao, the first author on a new paper about this form of germanium.

The study's research team, led by Carnegie's Timothy Strobel, was able to create ST12-germanium in a large enough sample size to confirm its characteristics and useful properties. Their work is published by *Nature Communications*.

"This work will be of interest to a broad range of readers in the field of materials science, physics, chemistry, and engineering," explained Carnegie's Haidong Zhang, the co-leading author.

ST12-germanium has a tetragonal structure—the nameST12 means "simple tetragonal with 12 atoms."(See illustration) It was created by putting germanium under about 138 times normal atmospheric pressure (14 gigapascals) and then decompressing it slowly at room temperature.

The millimeter-sized samples of ST12-germanium that the team created



were large enough that they could be studied using a variety of spectroscopic techniques in order to confirm its long-debated characteristics.

Like the most common, diamond-cubic form of germanium, they found that ST12 is a semiconductor with a so-called indirect band gap. Metallic substances conduct electrical current easily, whereas insulating materials conduct no current at all. Semiconducting materials exhibit mid-range <u>electrical conductivity</u>. When semiconducting materials are subjected to an input of a specific energy, bound electrons can be moved to higherenergy, conducting states. The specific energy required to make this jump to the conducting state is defined as the "band gap." While direct band gap materials can effectively absorb and emit light, indirect band gap materials cannot.

"Our team was able to quantify ST12's optical band gap—where visible light energy can be absorbed by the material—as well as its electrical and thermal properties, which will help define its potential for practical applications," Strobel said. "Our findings indicate that due to the size of its <u>band gap</u>, ST12-germanium may be a better material for infrared detection and imaging technology than the diamond-cubic form of the element already being used for these purposes."

Provided by Carnegie Institution for Science

Citation: Germanium's semiconducting and optical properties probed under pressure (2017, January 3) retrieved 7 May 2024 from <u>https://phys.org/news/2017-01-germanium-semiconducting-optical-properties-probed.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.