

## **Important bio-chemical produced on a large scale by E.coli**

January 11 2017



Many chemicals such as detergents can be manufactured from serine. Researchers at DTU Biosustain have now shown that serine can be produced in large amounts by *E.coli*. Credit: Colourbox

If you had a company that manufactured valuable ingredients for chemicals like detergens or paint, you would probably like to produce the ingredients in large quantities, sustainably, and at a low cost. That's what researchers from The Novo Nordisk Foundation Center for Biosustainability—DTU Biosustain—at DTU can now do. The



researchers have developed an *E. coli* cell line, which produces large quantities of the compound serine.

"This discovery is quite unique and proves that we can actually adapt <u>cells</u> to tolerate large amounts of serine—something many people thought wasn't possible. In order to develop these cells, we used highly specialized robots that exists only at our Center in Denmark and in the US," says Professor Alex Toftgaard Nielsen from DTU Biosustain.

Serine is an amino acid important for humans, because it is one of the 20 <u>amino acids</u> forming proteins in our bodies. Being highly water soluble, serine finds application as moisturizer in lotions of pharma and cosmetic industry.

Further, there is a huge marked for serine in the chemical industry, because is can be converted into other chemicals such as plastics, detergents, dietary supplements and a variety of other products.

In fact, serine has been mentioned as one of the 30 most promising biological substances to replace chemicals from the oil industry, if the production costs can be reduced. Fermentation by bacteria is the most common method of producing amino acids. However, serine is toxic to the laboratory work horse *E. coli*, which quickly "gives up", if the bacterium is to produce large amounts of the substance. The study is published in the journal *Metabolic Engineering*.

## **Robots are paramount**

The first step in the development process was to produce *E. coli* cells that could survive high concentrations of serine. To achieve this, the scientists used so-called automated 'Adaptive Laboratory Evolution' (ALE) in which they first exposed the cells to a small amount of serine. When the cells had grown accustomed to these conditions, the bacteria



were transferred to a slightly higher concentration. The experiment was repeated several times with the cells best suited to tolerate serine.

This experiment required highly specialized robots, lead author of the study Hemanshu Mundhada from DTU Biosustain explains:

"Cell growth must be monitored 24 hours a day, and the cells must be transferred to new medium at a certain time of growth. Moreover, we have so many samples, it would be almost impossible to monitor all the cells manually. Therefore, it is crucial that we use ALE robots. "

The tolerant *E. coli* cells were subsequently optimized genetically to produce serine, and in this way, they could suddenly produce 250 to 300 grams of serine for each kg of sugar (glucose) added, which is the largest productivity seen for serine ever.

## **Company should commercialize the cell line**

Today, serine is already produced in other microbes by converting glycine and methanol. But these microbes must first be grown in large quantities, after which the glycine—which is chemically produced—is added. Glycine is relatively expensive, and therefore many are looking for cheaper and more sustainable production methods.

"We have shown that our *E. coli* cells can use regular sugar and even residues from sugar production, molasses, in lower concentrations. And we have seen promising results with less expensive sugars, which makes it even more attractive to produce serine in *E. coli*," says Hemanshu Mundhada.

The research team is now working to establish a company which will be responsible for producing serine on a larger scale.



"The goal is to make this cell line useful for society. And the best way to do that, is by getting a company to further develop and commercialize our results," says Alex Toftgaard Nielsen.

**More information:** Hemanshu Mundhada et al, Increased production of L-serine in Escherichia coli through Adaptive Laboratory Evolution, *Metabolic Engineering* (2016). DOI: 10.1016/j.ymben.2016.11.008

Provided by Technical University of Denmark

Citation: Important bio-chemical produced on a large scale by E.coli (2017, January 11) retrieved 3 May 2024 from <u>https://phys.org/news/2017-01-important-bio-chemical-large-scale-ecoli.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.