

# New method recognises tree species automatically

January 20 2017

---



Reconstructed tree models can be stored in a database. Credit: Natural Resources

Institute Finland

A joint research project by Tampere University of Technology's mathematics laboratory and the Natural Resources Institute Finland (Luke) has developed a new method of recognising tree species based on laser scanning measurements. The method enables the calculation of classification features in a completely new way.

The researchers from TUT and Luke received promising results when testing a fully automatic [method](#) of recognising [tree species](#). In the future, this method can be applied to automate timber measurements during felling, selection of trees to be felled and optimisation of cutting.

"This method also allows for efficient measuring of the extensive materials needed in forest ecology research concerning tree species and the competitive relationships between their crowns," says Principal Scientist Raisa Mäkipää from Luke.

## **New use for comprehensive tree models**

A method previously developed by TUT is used to recognise the tree species. In this method, individual trees can be extracted from the forest plot level point cloud data, and the structure of their crowns can be reconstructed as comprehensive 3-D models. The created tree models consist of consecutive cylinders, which determine the structure of the tree stem and branches as well as the branching structure.

"Previously, it was possible to make a rough distinction between the stem and the crown, based on the point cloud. Now, we are able to make out individual branches and analyse the characteristics of their diameters, volumes and branch angles," says Markku Åkerblom,

member of the research team and a researcher at TUT.

For recognising the species, the researchers defined 15 classification features, the values of which were then calculated for each tree. Some of these features are completely new and some have been used in previous studies. The new aspect is that now their value can be calculated more accurately, as they can now utilise information about the tree's entire crown. Furthermore, the magnitude of the testing data far exceeds any previous study.

## **Exact species recognition is possible**

Three different classification methods were tested, and three of the most common tree species in Finland – birch, pine and spruce – were included in the study.

"According to our results, automatic species recognition is possible with more than 95% accuracy. The purpose was not to find the best possible combination of features, but only to prove that classification based on detailed tree models is possible. However, several combinations produced good results and all the classification methods had a maximum accuracy over 95%. The results also showed that just 30 trees per species is enough learning material for the [classification](#)," says Åkerblom.

In the future, the developed method will be tested with more tree species and with measurements taken from more diverse forests. The tree models calculated based on the laser scanning data can be stored in a database, which can be utilised for even more accurate species recognition when the number of included samples grows.

**More information:** Markku Åkerblom et al. Automatic tree species recognition with quantitative structure models, *Remote Sensing of Environment* (2017). [DOI: 10.1016/j.rse.2016.12.002](https://doi.org/10.1016/j.rse.2016.12.002)

Provided by Natural Resources Institute Finland

Citation: New method recognises tree species automatically (2017, January 20) retrieved 25 April 2024 from

<https://phys.org/news/2017-01-method-recognises-tree-species-automatically.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.