

Nanocavity and atomically thin materials advance tech for chip-scale light sources

January 24 2017




Figure 1 shows the schematic of the 2-D material heterostructure on top of which the photonic crystal cavity is transferred. Figure 2 shows the optical microscope image of the cavity transferred on the 2-D material heterostructure. Credit: University of Washington

When an individual uses Facebook or searches Google, the information processing happens in a large data center. Short distance optical interconnects can improve the performance of these data centers. Current systems utilize electrons, which could cause overheating and wastes power. However, utilizing light to transfer information between computer chips and boards can improve efficiency.

University of Washington Assistant Professor of Electrical Engineering

and Physics Arka Majumdar, Associate Professor of Materials Science and Engineering and Physics Xiaodong Xu and their team have discovered an important first step towards building electrically pumped nanolasers (or light-based sources). These lasers are critical in the development of integrated photonic based short-distance [optical interconnects](#) and sensors.

The results were published in a recent edition of *Nano Letters*.

The team demonstrated this first step through cavity-enhanced electroluminescence from atomically thin monolayer materials. The thinness of this material yields efficient coordination between the two key components of the laser. Both the cavity-enhanced electroluminescence and material will allow energy-efficient [data centers](#) and support high performance parallel computing.

Recently discovered atomically thin semiconductors have generated significant interest due to showing light emission in the 2D limit. However, due to the extreme thinness of this material, its emission intensity is usually not strong enough, and it is important to integrate them with photonic devices (nano-lasers, in this case) to get more light out.

"Researchers have demonstrated electroluminescence in this material [atomically thin monolayer]," Majumdar said. "Last year, we also reported the operation of an ultra-low threshold optically pumped laser, using this material integrated with nano-cavity. But for practical applications, electrically driven devices are required. Using this, one can power the devices using electrical current. For example, you power your laser pointer using an electrical battery. "

Majumdar and Xu recently reported cavity-enhanced electroluminescence in atomically thin material. A heterostructure of

different monolayer materials are used to enhance the emission. Without the cavity, the emission is broadband (unidirectional) and weak. A nanocavity enhances the emission and also enables single-mode (directed) operation. This allows direct modulation of the emission, a crucial requirement for the data-communication.

These structures are of current scientific interest and are considered the new "gold rush" of condensed matter physics and materials science. Their current result and the previous demonstration of optically pumped lasers show the promise of electrically pumped nano-lasers, which constitutes the next milestone for this research. This next achievement will improve data center efficiency for optimal performance.

"Our team is currently exploring integration of the monolayer materials with a silicon nitride platform," Majumdar said. "Through this work, we hope to achieve the coveted CMOS [complementary metal-oxide-semiconductor] compatibility, which is the same process by which the computer processors are fabricated today."

The research is supported by grants from the National Science Foundation and the Air Force Office of Scientific Research.

More information: Chang-Hua Liu et al, Nanocavity Integrated van der Waals Heterostructure Light-Emitting Tunneling Diode, *Nano Letters* (2017). [DOI: 10.1021/acs.nanolett.6b03801](https://doi.org/10.1021/acs.nanolett.6b03801)

Provided by University of Washington

Citation: Nanocavity and atomically thin materials advance tech for chip-scale light sources (2017, January 24) retrieved 23 April 2024 from <https://phys.org/news/2017-01-nanocavity-atomically-thin-materials-advance.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.