


Study of round worm that returns to life after freezing

January 23 2017



Panagrolaimus sp. DAW1 photographed under the microscope. Credit: David Wharton

The first molecular study of an organism able to survive intracellular freezing (freezing within its cells) is published this week by British

Antarctic Survey (BAS), in collaboration with researchers from the University of Otago, New Zealand. The paper represents a milestone in scientists' understanding of an extraordinary adaptation.

The tiny Antarctic nematode, also known as a roundworm (*Panagrolaimus* sp. DAW1), was cultured from a coastal Antarctic penguin rookery at McMurdo Sound, and is the best-documented organism able to survive the disruptions brought about by total [freezing](#). The nematode is also able to undergo a form of freeze avoidance by eliminating all of its water content, called cryoprotective dehydration. However, it is the ability to survive intracellular freezing which makes this organism really stand out.

Exploring [gene expression patterns](#), the researchers were able to show how molecularly active the nematodes are while in a frozen state, highlighting certain key genes enabling them to endure such an extreme physical state.

This is the first study of its kind, shedding light on a possibly rare adaptation, which could lead to new applications.

Lead author, computational biologist, Michael Thorne from BAS says:

"This Antarctic nematode is an extraordinary model for cold tolerance studies with its two adaptive strategies for surviving extreme low temperature conditions. No other organism that we know of is able to withstand freezing in its cells with as good a survival rate. Once thawed from such a state it is able to produce offspring. To date, no work has been carried out at the molecular level on any organism able to survive total freezing, and the insights provide a great starting point for a fascinating biological phenomenon."

The paper, molecular snapshot of an intracellular freezing event in an

Antarctic nematode, by Michael Thorne, Anna Seybold, Craig Marshall and David Wharton, is published in *Cryobiology*.

More information: Michael A.S. Thorne et al. Molecular snapshot of an intracellular freezing event in an Antarctic nematode, *Cryobiology* (2017). [DOI: 10.1016/j.cryobiol.2017.01.003](https://doi.org/10.1016/j.cryobiol.2017.01.003)

Provided by British Antarctic Survey

Citation: Study of round worm that returns to life after freezing (2017, January 23) retrieved 1 May 2024 from <https://phys.org/news/2017-01-worm-life.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--