


System automatically detects cracks in nuclear power plants

February 17 2017



(a) Tiny cracks with low contrast and different brightness.



(b) Scratches, grind marks, and welds in background.

A new automated system developed at Purdue University detects cracks in the steel components of nuclear power plants. Here, the system accurately distinguishes between cracks and other features, outlined in red-colored boxes. Credit: EPRI

A new automated system detects cracks in the steel components of nuclear power plants and has been shown to be more accurate than other automated systems.

"Periodic inspection of the components of nuclear power plants is important to avoid accidents and ensure safe operation," said Mohammad R. Jahanshahi, an assistant professor in Purdue University's Lyles School of Civil Engineering. "However, current inspection practices are time consuming, tedious and subjective because they involve an operator manually locating cracks in metallic surfaces."

Other automatic crack detection algorithms under development often do not detect cracks in [metallic surfaces](#) because the cracks are usually small, have low contrast and are difficult to distinguish from welds, scratches and grind marks. The new system, called CRAQ, for crack recognition and quantification, overcomes this limitation by using an advanced algorithm and a powerful "machine learning" technique to detect cracks based on the changing texture surrounding cracks on steel surfaces.

Findings are detailed in a research paper published this week in *Computer-Aided Civil and Infrastructure Engineering*.

The automated approach could help improve the state of the nation's infrastructure, recently given an overall grade of D+ by the American Society of Civil Engineers, he said.

"One reason we have a grade of D+ for the infrastructure is insufficient inspection," said Jahanshahi, director of Purdue's Smart Informatix Laboratory. "So we want to have more frequent inspection using robotic systems to collect data."

The nation operates 99 commercial nuclear power plants, which account

for about 20 percent of total U.S. electricity generation. Aging can result in cracking, fatigue, embrittlement of metal components, wear, erosion, corrosion and oxidation.

"Cracking is an important factor in aging degradation that may cause leaking and result in hazardous incidents," Jahanshahi said. "For instance, the Millstone nuclear power station in Connecticut had an accident in 1996 that was caused by a leaking valve, and the accident cost \$254 million. In 2010, the Vermont Yankee Nuclear Power Plant had an accident where deteriorating underground pipes leaked radioactive tritium into groundwater supplies, resulting in \$700 million in damage."


Complicating the inspection process is that nuclear reactors are submerged in water to maintain cooling.

"Consequently, direct manual inspection of reactor internals is not feasible due to high temperatures and radiation hazards," Jahanshahi said. "So remotely recorded videos at the underwater reactor surface are used for inspection. However, recent testing has identified a need for increased reliability associated with identifying cracks from reviews of live and recorded data. The results indicate that this capability is degraded by human involvement in identifying cracks, even when identification should be easy."

Other automated crack-detection systems under development are designed for processing single images, whereas the new method processes multiple video frames, providing more robust results. Findings show the system outperformed two others under development.

"In contrast to other methods that only focus on detecting cracks in one image, we propose a method called Bayesian data fusion that tracks detected cracks in video frames and fuses the information obtained from

multiple frames," Jahanshahi said. "Moreover, we can filter out falsely detected cracks and increase the reliability and robustness of crack detection by using Bayesian decision theory," which determines the probability that an object is a crack or a false alarm.



Mohammad R. Jahanshahi, left, an assistant professor in Purdue's Lyles School of Civil Engineering, and doctoral student Fu-Chen Chen review results using the new system. Credit: Purdue University image/Erin Easterling

The system assigns "confidence levels" automatically assessing whether the detected cracks are real, outlining the cracks with color-coded boxes that correspond to these confidence levels. For example, if the algorithm assigns a high confidence level to a crack, the box outline is red. The processing procedure takes about a minute.

"Then, a technician could do a manual inspection to confirm that there is a crack," Jahanshahi said.

The [research paper](#) was authored by doctoral student Fu-Chen Chen; Jahanshahi; doctoral student Rih-Teng Wu; and Chris Joffe, technical leader for Non-destructive Evaluation at the Electric Power Research Institute (EPRI), a nonprofit organization funded by the electric utility industry.

Researchers recorded videos using an underwater camera system scanning 304 stainless steel specimens containing cracks and also features such as welds, grinding marks and scratches.

Future research will include work to develop a more accurate and more fully automated system using advanced simulations and computational software.

"We are currently working on the second version of the software by developing deep learning algorithms to detect [cracks](#) for this application where we have significantly improved the performance of the system using Constitutional Neural Networks," Jahanshahi said.

More information: Fu-Chen Chen et al. A texture-Based Video Processing Methodology Using Bayesian Data Fusion for Autonomous Crack Detection on Metallic Surfaces, *Computer-Aided Civil and Infrastructure Engineering* (2017). [DOI: 10.1111/mice.12256](https://doi.org/10.1111/mice.12256)

Provided by Purdue University

Citation: System automatically detects cracks in nuclear power plants (2017, February 17) retrieved 9 April 2024 from <https://phys.org/news/2017-02-automatically-nuclear-power.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.