

Car drivers cause the most pollution in London – but are least exposed to it themselves

February 10 2017



Credit: CC0 Public Domain

Car drivers in London are causing the most pollution per commuter, a new study by the University of Surrey has found. But drivers themselves



are the commuters least exposed to harmful particulate matter (PM), when compared with those taking the Underground or the bus.

The study, which is published in *Environment International* today, found that those on the Underground are the most exposed to poor air quality during their commutes to work, followed by those on buses. In the Underground, trains with open windows leave passengers far more exposed to <u>air pollution</u> than those with closed windows.

Air pollution in typical commuting routes was assessed with personal real-time monitors. The study found that passengers on the District line in trains with closed windows were exposed to far lower concentrations of PM than those travelling on trains with open windows on the same line. PM levels were higher on trains on the Victoria and Northern lines, all of which had open windows, and in particular on those in tunnels.

But the research did not find conclusive evidence to suggest that those from more deprived areas were more exposed to pollution than those from less deprived areas. However, people from areas with low deprivation have a predominant use of car, receiving the lower doses while generating the largest emissions per person. The opposite is observed for people from higher deprivation areas, who rely more on buses.

It is estimated that around 9,400 Londoners die every year due to poor <u>air quality</u>, costing the economy ± 3.7 bn. The study investigated how exposed passengers were to PMs and black carbon during their commutes to work.

Dr Prashant Kumar from the University of Surrey, who led the study, said: "We found that there is definitely an element of environmental injustice among those commuting in London, with those who create the most pollution having the least exposure to it."



Earlier work of the research group found relatively higher penetration of small-sized ultrafine particles into cars compared with coarse particles, owing to a relatively greater efficiency of car filtering systems towards large-sized particles.

Dr Kumar added: "There is an interesting trade-off of <u>pollution</u> exposure between different modes of transport. For example, commuters travelling to work on Underground trains are exposed to the highest levels of large-sized particles while being exposed to the highest level of <u>black carbon</u> and ultrafine particles during commute in buses.

"The relatively new airtight trains with closed windows showed a significant difference to the levels of <u>particles</u> people are exposed to over time, suggesting that operators should consider this aspect during any upgrade of Underground trains, along with the ways to improve ventilation in underground tunnels."

More information: Ioar Rivas et al. Exposure to air pollutants during commuting in London: Are there inequalities among different socioeconomic groups?, *Environment International* (2017). <u>DOI:</u> <u>10.1016/j.envint.2017.01.019</u>

Provided by University of Surrey

Citation: Car drivers cause the most pollution in London – but are least exposed to it themselves (2017, February 10) retrieved 6 May 2024 from <u>https://phys.org/news/2017-02-car-drivers-pollution-london-exposed.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.