

Celestial cat meets cosmic lobster

February 1 2017



This spectacular image from the VLT Survey Telescope shows the Cat's Paw Nebula (NGC 6334, upper right) and the Lobster Nebula (NGC 6357, lower left). These dramatic objects are regions of active star formation where the hot young stars are causing the surrounding hydrogen gas to glow red. The very rich field of view also includes dark clouds of dust. With around two billion pixels this is one of the largest images ever released by ESO. A zoomable version of this giant image is available here:



https://www.eso.org/public/images/eso1705a/zoomable/ Credit: ESO

Astronomers have for a long time studied the glowing, cosmic clouds of gas and dust catalogued as NGC 6334 and NGC 6357, this gigantic new image from ESO's Very Large Telescope Survey Telescope being only the most recent one. With around two billion pixels this is one of the largest images ever released by ESO. The evocative shapes of the clouds have led to their memorable names: the Cat's Paw Nebula and the Lobster Nebula, respectively.

NGC 6334 is located about 5500 light-years away from Earth, while NGC 6357 is more remote, at a distance of 8000 light-years. Both are in the constellation of Scorpius (The Scorpion), near the tip of its stinging tail.

The British scientist John Herschel first saw traces of the two objects, on consecutive nights in June 1837, during his three-year expedition to the Cape of Good Hope in South Africa. At the time, the limited telescopic power available to Herschel, who was observing visually, only allowed him to document the brightest "toepad" of the Cat's Paw Nebula. It was to be many decades before the true shapes of the nebulae became apparent in photographs—and their popular names coined.

The three toepads visible to modern telescopes, as well as the claw-like regions in the nearby Lobster Nebula, are actually regions of gas—predominantly hydrogen—energised by the light of brilliant newborn stars. With masses around 10 times that of the Sun, these hot stars radiate intense ultraviolet light. When this light encounters hydrogen atoms still lingering in the stellar nursery that produced the stars, the atoms become ionised. Accordingly, the vast, cloud-like objects that glow with this light from hydrogen (and other) atoms are



known as emission nebulae.

Thanks to the power of the 256-megapixel OmegaCAM camera, this new Very Large Telescope Survey Telescope (VST) image reveals tendrils of light-obscuring dust rippling throughout the two nebulae. At 49511×39136 pixels this is one of the largest images ever released by ESO.

OmegaCAM is a successor to ESO's celebrated Wide Field Imager (WFI), currently installed at the MPG/ESO 2.2-metre telescope on La Silla. The WFI was used to photograph the Cat's Paw Nebula in 2010, also in visible light but with a filter that allowed the glow of hydrogen to shine through more clearly. Meanwhile, ESO's Very Large Telescope has taken a deep look into the Lobster Nebula, capturing the many hot, bright stars that influence the object's colour and shape.

Despite the cutting-edge instruments used to observe these phenomena, the dust in these nebulae is so thick that much of their content remains hidden to us. The Cat's Paw Nebula is one of the most active stellar nurseries in the night sky, nurturing thousands of young, hot stars whose <u>visible light</u> is unable to reach us. However, by observing at infrared wavelengths, telescopes such as ESO's VISTA can peer through the dust and reveal the star formation activity within.

Viewing nebulae in different wavelengths (colours) of light gives rise to different visual comparisons on the part of human observers. When seen in longer wavelength infrared <u>light</u>, for example, one portion of NGC 6357 resembles a dove, and the other a skull; it has therefore acquired the additional name of the War and Peace Nebula.

Provided by ESO



Citation: Celestial cat meets cosmic lobster (2017, February 1) retrieved 26 April 2024 from <u>https://phys.org/news/2017-02-celestial-cat-cosmic-lobster.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.