

## A kiss of death—mammals were the first animals to produce venom

February 13 2017



Artist's impression of the Euchambersia. Credit: Wits University

Africa is a tough place. It always has been. Especially if you have to fend off gigantic predators like sabre-toothed carnivores in order to survive. And, when you're a small, dog-sized pre-mammalian reptile, sometimes the only way to protect yourself against these monsters is to turn your saliva into a deadly venomous cocktail.



That is exactly what a distant, pre-mammalian reptile, the *therapsid Euchambersia*, did about 260 million years ago, in order to survive the rough conditions offered by the deadly South African environment. Living in the Karoo, near Colesberg in South Africa, the Euchambersia developed a deep and circular fossa, just behind its canine teeth in the <a href="upper jaw">upper jaw</a>, in which a deadly venomous cocktail was produced, and delivered directly into the mouth through a fine network of bony grooves and canals.

"This is the first evidence of the oldest venomous vertebrate ever found, and what is even more surprising is that it is not in a species that we expected it to be, " says Dr Julien Benoit, researcher at the Bernard Price Institute for Palaeontological Research at the University of the Witwatersrand in South Africa.

"Today, snakes are notorious for their venomous bite, but their fossil record vanishes in the depth of geological times at about 167 million years ago, so, at 260 million years ago, the *Euchambersia* evolved venom more than a 100 million years before the very first snake was even born."





Dr. Julien Benoit with the skull of the *Euchambersia* fossil that was found near Colesberg, in the Eastern Cape Province of South Africa, in 1966. Credit: Wits University

As venom glands don't fossilise, Benoit and his colleagues from at Wits University, in association with the Natural History Museum of London used cutting edge CT scanning and 3D imagery techniques to analyse the only two fossilised skulls of the *Euchambersia* ever found, and discovered stunning anatomical adaptions that are compatible with venom production. Their results were published in the open access journal, *Plos One*, in February.

"First, a wide, deep and circular fossa (a space in the skull) to accommodate a <u>venom gland</u> was present on the upper jaw and was



connected to the canine and the mouth by a fine network of bony grooves and canals," says Benoit. "Moreover, we discovered previously undescribed teeth hidden in the vicinity of the bones and rock: two incisors with preserved crowns and a pair of large canines, that all had a sharp ridge. Such a ridged dentition would have helped the injection of venom inside a prey."



The skull of the *Euchambersia* fossil shows the large space for the venom glands, in the top jaw, right behind the front teeth (just to the right of Dr Julien Benoit's index finger). Credit: Wits University

Unlike snakes like vipers or cobras, which actively inject their prey with venom through needle-like grooves in their teeth, the *Euchambersia*'s



venom flowed directly into its mouth, and the venom was passively introduced into its victim through ridges on the outside of its <u>canine</u> <u>teeth</u>.

"*Euchambersia* could have used its venom for protection or hunting. Most venomous species today use their <u>venom</u> for hunting, so I would rather go for this option. In addition, animals at that time were not all insectivorous, particularly among therapsids, which were very diverse."

## The Euchambersia fossils

The first Euchambersia fossil was found in 1932, and the second in 1966. The two fossils were both found on the farm Vanwyksfontein, near Colesberg in the Eastern Cape, and while they were found more than 34 years apart from each other, for millions of years, they were lying only a few metres apart.

## The life and times of the Euchambersia

According to measurements of the two fossils, the Euchambersia was a small dog-like pre-mammalian reptile that grew between 40 and 50cm long, and lived well before the first dinosaur even appeared.

## Provided by Wits University

Citation: A kiss of death—mammals were the first animals to produce venom (2017, February 13) retrieved 20 April 2024 from <a href="https://phys.org/news/2017-02-deathmammals-animals-venom.html">https://phys.org/news/2017-02-deathmammals-animals-venom.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.