


## Researcher explores possible climate change link to water toxicity

February 14 2017, by Kara Irby

---



Christopher Uejio, an assistant professor in the FSU Department of Geography.

A Florida State University researcher has drawn a link between the impact of climate change and untreated drinking water on the rate of

gastrointestinal illness in children.

Assistant Professor of Geography Chris Uejio has published a first-of-its-kind study, "Drinking-[water treatment](#), climate change, and childhood gastrointestinal illness projections for northern Wisconsin (USA) communities drinking untreated groundwater," in the Hydrogeology Journal. The study explores the benefits of additional [drinking water](#) treatment compared to the risks created by climate change.

"Most people may not realize this, but there are about 20 million people in the country who access drinking water that isn't treated," Uejio said. "These households are particularly vulnerable to rainfall events and contamination events where disease causing pathogens can get in their drinking water sources."

Uejio's study is the first to examine how future rainfall may impact human health. He partnered with the Wisconsin Department of Health and the Children's Hospital of Wisconsin to examine the rate in which children ages 5 and under are at risk for [gastrointestinal illness](#) (GI) 30-plus years into the future between 2046 to 2065 compared to the period between 1991 and 2010.

"Wisconsin was chosen partly for its unique geography," Uejio said. "It has some underlying hydrogeology characteristics that make it a little more susceptible to ground water contamination. We also chose Wisconsin because there are some cities that do treat and do not treat their drinking water. It provided a natural comparison to see if rainfall is related to more people getting sick in these areas."

Uejio and the research team considered three different scenarios covering five northern Wisconsin municipalities with minimally treated drinking water.

The first scenario tested the amount of risk of childhood GI if climate change proceeds on its current trajectory. Uejio found that without additional [drinking water treatment](#) installation, increased rainfall from climate change could amount to an approximate 1.5 percent increase in childhood GI—with a range as high as 3.6 percent.

The gastrointestinal illnesses studied included a wide swath of sicknesses ranging from minor stomach pains to more severe symptoms that required up to 69 days of hospital care. Of the cases examined between 1991 and 2010, 7 percent of the children were admitted to a hospital.

The second scenario considered climate change plus background levels of treatment, which is what has been done historically, and projecting that to the future. When those numbers were assessed, Uejio found some continued treatment would help alleviate the impacts of climate change moving forward, but there were still elevated rates of illness among the children in communities with untreated drinking water.

The final scenario looked at a more aggressive rate of drinking water treatment in larger cities throughout the research area.

"We found, intuitively, that the rate of illness correspondingly dropped dramatically," Uejio said.

His results can inform public policy moving forward, he said.

"Even though climate change is becoming a politicized issue, what is happening on the ground is not as political," Uejio said. "We have actual communities, many rural, many whose children are becoming sick because they are drinking water that is not filtered. We have the technologies to address this disparity, and really that's much bigger than the impact [climate change](#) will have going forward. We just need the political will and the funding to follow through on that."

Uejio hopes his study will be a springboard for researchers to investigate these impacts in additional regions in the United States. Because the Northeastern and Midwestern portions of the United States are already observing more rainfall and intense rainfall events, those areas are ripe for study, he said.

**More information:** Christopher K. Uejio et al. Drinking-water treatment, climate change, and childhood gastrointestinal illness projections for northern Wisconsin (USA) communities drinking untreated groundwater, *Hydrogeology Journal* (2017). [DOI: 10.1007/s10040-016-1521-9](https://doi.org/10.1007/s10040-016-1521-9)

Provided by Florida State University

Citation: Researcher explores possible climate change link to water toxicity (2017, February 14) retrieved 6 July 2024 from <https://phys.org/news/2017-02-explores-climate-link-toxicity.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.