


Fermi finds possible dark matter ties in Andromeda galaxy

February 21 2017, by Claire Saravia



The gamma-ray excess (shown in yellow-white) at the heart of M31 hints at unexpected goings-on in the galaxy's central region. Scientists think the signal could be produced by a variety of processes, including a population of pulsars or even dark matter. Credit: NASA/DOE/Fermi LAT Collaboration and Bill Schoening, Vanessa Harvey/REU program/NOAO/AURA/NSF

NASA's Fermi Gamma-ray Space Telescope has found a signal at the center of the neighboring Andromeda galaxy that could indicate the

presence of the mysterious stuff known as dark matter. The gamma-ray signal is similar to one seen by Fermi at the center of our own Milky Way galaxy.

Gamma rays are the highest-energy form of light, produced by the universe's most energetic phenomena. They're common in galaxies like the Milky Way because [cosmic rays](#), particles moving near the speed of light, produce [gamma rays](#) when they interact with [interstellar gas clouds](#) and starlight.

Surprisingly, the latest Fermi data shows the gamma rays in Andromeda—also known as M31—are confined to the galaxy's center instead of spread throughout. To explain this unusual distribution, scientists are proposing that the emission may come from several undetermined sources. One of them could be [dark matter](#), an unknown substance that makes up most of the universe.

"We expect dark matter to accumulate in the innermost regions of the Milky Way and other galaxies, which is why finding such a compact signal is very exciting," said lead scientist Pierrick Martin, an astrophysicist at the National Center for Scientific Research and the Research Institute in Astrophysics and Planetology in Toulouse, France. "M31 will be a key to understanding what this means for both Andromeda and the Milky Way."

A paper describing the results will appear in an upcoming issue of *The Astrophysical Journal*.

Another possible source for this emission could be a rich concentration of pulsars in M31's center. These spinning neutron stars weigh as much as twice the mass of the sun and are among the densest objects in the universe. One teaspoon of neutron star matter would weigh a billion tons on Earth. Some pulsars emit most of their energy in gamma rays.

Because M31 is 2.5 million light-years away, it's difficult to find individual pulsars. To test whether the gamma rays are coming from these objects, scientists can apply what they know about pulsars from observations in the Milky Way to new X-ray and radio observations of Andromeda.

Now that Fermi has detected a similar gamma-ray signature in both M31 and the Milky Way, scientists can use this information to solve mysteries within both galaxies. For example, M31 emits few gamma rays from its large disk, where most stars form, indicating fewer cosmic rays roaming there. Because cosmic rays are usually thought to be related to star formation, the absence of gamma rays in the outer parts of M31 suggests either that the galaxy produces cosmic rays differently, or that they can escape the galaxy more rapidly. Studying Andromeda may help scientists understand the life cycle of cosmic rays and how it is connected to star formation.

"We don't fully understand the roles cosmic rays play in galaxies, or how they travel through them," said Xian Hou, an astrophysicist at Yunnan Observatories, Chinese Academy of Sciences in Kunming, China, also a lead scientist in this work. "M31 lets us see how cosmic rays behave under conditions different from those in our own galaxy."

The similar discovery in both the Milky Way and M31 means scientists can use the galaxies as models for each other when making difficult observations. While Fermi can make more sensitive and detailed observations of the Milky Way's center, its view is partially obscured by emission from the galaxy's disk. But telescopes view Andromeda from an outside vantage point impossible to attain in the Milky Way.

"Our galaxy is so similar to Andromeda, it really helps us to be able to study it, because we can learn more about our galaxy and its formation," said co-author Regina Caputo, a research scientist at NASA's Goddard

Space Flight Center in Greenbelt, Maryland. "It's like living in a world where there's no mirrors but you have a twin, and you can see everything physical about the twin."

While more observations are necessary to determine the source of the gamma-ray excess, the discovery provides an exciting starting point to learn more about both galaxies, and perhaps about the still elusive nature of dark matter.

"We still have a lot to learn about the gamma-ray sky," Caputo said. "The more information we have, the more information we can put into models of our own galaxy."

Citation: Fermi finds possible dark matter ties in Andromeda galaxy (2017, February 21)
retrieved 2 May 2024 from
<https://phys.org/news/2017-02-fermi-dark-ties-andromeda-galaxy.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--